



# Rustler® Brushless (Model 37354-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
<b>5116</b>	<b>Ball bearings, blue rubber sealed (5x11x4mm) (2)</b>
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3721-BLUE	Body, Rustler® (also fits Rustler® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
<b>3750X</b>	<b>Body, Rustler® (also fits Rustler® VXL), blue (painted, decals applied, assembled with wing)</b>
3721-GRN	Body, Rustler® (also fits Rustler® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
<b>3750G</b>	<b>Body, Rustler® (also fits Rustler® VXL), green (painted, decals applied, assembled with wing)</b>
3721-ORNG	Body, Rustler® (also fits Rustler® VXL), orange (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
<b>3750T</b>	<b>Body, Rustler® (also fits Rustler® VXL), orange (painted, decals applied, assembled with wing)</b>
<b>3721X</b>	<b>Body, Rustler® (also fits Rustler® VXL), ProGraphix® (graphics are printed, requires paint &amp; final color application)/ decal sheet</b>
<b>3750</b>	<b>Body, Rustler® (also fits Rustler® VXL), red &amp; black (painted, decals applied, assembled with wing)</b>
3721-RED	Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
<b>3750R</b>	<b>Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied, assembled with wing)</b>
<b>3714</b>	<b>Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware</b>
<b>3749</b>	<b>Body, Rustler®, Hawaiian graphics (painted, decals applied)</b>
<b>3750L</b>	<b>Body, Rustler®, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ wing/ decal sheet</b>
<b>3748</b>	<b>Body, Rustler®, Rock n' Roll (painted, decals applied)</b>
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
3716	Decal sheets, Rustler®
3730	Latch, body mount, front (1), rear (1)/ latch mounts, front (left & right) (for clipless body mounting)
<b>9950</b>	<b>Official Team Traxxas® racing decal set(flag logo/ 6-color)</b>
<b>5185</b>	<b>Tires, rubber (2) (fits Traxxas® wheelie bar wheels)</b>
<b>4974</b>	<b>Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)</b>
<b>3677X</b>	<b>Wheelie bar mount (1) / hardware (blue)</b>
<b>3677A</b>	<b>Wheelie bar mount (1) / hardware (green)</b>
<b>3677P</b>	<b>Wheelie bar mount (1) / hardware (pink)</b>
<b>3677</b>	<b>Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)</b>
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
<b>3678X</b>	<b>Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)</b>
<b>3678A</b>	<b>Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)</b>
<b>3678T</b>	<b>Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)</b>
<b>3678P</b>	<b>Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)</b>
<b>3678R</b>	<b>Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)</b>
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
<b>5186A</b>	<b>Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>
<b>5186</b>	<b>Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>

## Chassis & Attachments

<b>9463X</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>
<b>9463</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>
<b>9463G</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>
<b>9463A</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>

<b>9463P</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>
<b>9463R</b>	<b>Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)</b>
<b>3725X</b>	<b>Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler®, Bandit, Stampede®)</b>
<b>3727</b>	<b>Battery hold-down plate (black)/ metal posts (2)/body clips (2)</b>
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3731	Body mounts (front & rear)/ spacer, front/ body mount bracket, rear (2) (for clipless body mounting) (fits #3695 or 9495 transmission)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
<b>2735</b>	<b>Bumper (front)</b>
<b>2735P</b>	<b>Bumper (front) (pink)</b>
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
<b>3728</b>	<b>Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)</b>
3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3639	Shock tower (front)
3638R	Shock tower (rear) (for clipless body mounting)
<b>9462X</b>	<b>Side plates, wheelie bar, blue (aluminum) (2)</b>
<b>9462</b>	<b>Side plates, wheelie bar, charcoal gray (aluminum) (2)</b>
<b>9462G</b>	<b>Side plates, wheelie bar, green (aluminum) (2)</b>
<b>9462A</b>	<b>Side plates, wheelie bar, orange (aluminum) (2)</b>
<b>9462P</b>	<b>Side plates, wheelie bar, pink (aluminum) (2)</b>
<b>9462R</b>	<b>Side plates, wheelie bar, red (aluminum) (2)</b>
<b>5185</b>	<b>Tires, rubber (2) (fits Traxxas® wheelie bar wheels)</b>
<b>3729-BLK</b>	<b>Upper chassis (black)</b>
<b>3729</b>	<b>Upper chassis (black)</b>
3729-GRAY	Upper chassis (gray)
3729A	Upper chassis (gray)
<b>4974</b>	<b>Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)</b>
<b>3677X</b>	<b>Wheelie bar mount (1) / hardware (blue)</b>
<b>3677A</b>	<b>Wheelie bar mount (1) / hardware (green)</b>
<b>3677P</b>	<b>Wheelie bar mount (1) / hardware (pink)</b>
<b>3677</b>	<b>Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)</b>
<b>9464</b>	<b>Wheelie bar mount (heavy duty)</b>
2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
<b>3678X</b>	<b>Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)</b>
<b>3678A</b>	<b>Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)</b>
<b>3678T</b>	<b>Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)</b>
<b>3678P</b>	<b>Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)</b>
<b>3678R</b>	<b>Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)</b>
<b>9460</b>	<b>Wheelie bar, black (assembled)/ wheelie bar mount</b>
<b>9460X</b>	<b>Wheelie bar, black chrome (assembled)/ wheelie bar mount</b>
<b>4976</b>	<b>Wheels (4)/ Axles (2), for Maxx® Wheelie Bar</b>
<b>5186A</b>	<b>Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>
<b>5186</b>	<b>Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>
<b>9461X</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)</b>
<b>9461T</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)</b>
<b>9461G</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)</b>
<b>9461A</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)</b>
<b>9461P</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)</b>
<b>9461R</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)</b>
<b>9461</b>	<b>Wheels, wheelie bar, black (26mm (2), 18mm (2))</b>

**Differential Components**

<b>2380</b>	<b>Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)</b>
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4) planet shafts (4) sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
1647	Silicone Grease

**Driveline Components**

3637	Axles (front) (2)
<b>5116</b>	<b>Ball bearings, blue rubber sealed (5x11x4mm) (2)</b>
<b>6743</b>	<b>Camber link set (plastic/ non-adjustable) (front &amp; rear)</b>
<b>9150</b>	<b>Carriers, stub axle, rear, extreme heavy duty, black (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9150-BLUE</b>	<b>Carriers, stub axle, rear, extreme heavy duty, blue (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
<b>9150-GRN</b>	<b>Carriers, stub axle, rear, extreme heavy duty, green (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9150-ORNG</b>	<b>Carriers, stub axle, rear, extreme heavy duty, orange (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9150-RED</b>	<b>Carriers, stub axle, rear, extreme heavy duty, red (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
<b>6852R</b>	<b>Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)</b>
<b>1951R</b>	<b>Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)</b>
<b>6751</b>	<b>Half shaft, internal splined (steel-spline constant velocity) (1)</b>
<b>6757</b>	<b>Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)</b>
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
2754	Stub axle pins (4)
<b>6753</b>	<b>Stub axle, rear, steel-splined constant velocity (1)</b>
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

**Extreme HD Upgrade Kit**

9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
<b>9150</b>	<b>Carriers, stub axle, rear, extreme heavy duty, black (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9150-BLUE</b>	<b>Carriers, stub axle, rear, extreme heavy duty, blue (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
<b>9150-GRN</b>	<b>Carriers, stub axle, rear, extreme heavy duty, green (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9150-ORNG</b>	<b>Carriers, stub axle, rear, extreme heavy duty, orange (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9150-RED</b>	<b>Carriers, stub axle, rear, extreme heavy duty, red (left &amp; right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9136</b>	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9136-BLUE</b>	<b>Caster blocks (c-hubs), extreme heavy duty, blue (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>

9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
<b>9136-GRN</b>	<b>Caster blocks (c-hubs), extreme heavy duty, green (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9136-ORNG</b>	<b>Caster blocks (c-hubs), extreme heavy duty, orange (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9136-RED</b>	<b>Caster blocks (c-hubs), extreme heavy duty, red (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9180</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, black (fits Rustler® 2WD or Stampede® 2WD)</b>
<b>9180-BLUE</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, blue (fits Rustler® 2WD or Stampede® 2WD)</b>
9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Rustler® 2WD or Stampede® 2WD)
<b>9180-GRN</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)</b>
<b>9180-ORNG</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, orange (fits Rustler® 2WD or Stampede® 2WD)</b>
<b>9180-RED</b>	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)</b>
3638R	Shock tower (rear) (for clipless body mounting)
<b>9137</b>	<b>Steering blocks, extreme heavy duty, black (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9137-BLUE</b>	<b>Steering blocks, extreme heavy duty, blue (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
<b>9137-GRN</b>	<b>Steering blocks, extreme heavy duty, green (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9137-ORNG</b>	<b>Steering blocks, extreme heavy duty, orange (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
<b>9137-RED</b>	<b>Steering blocks, extreme heavy duty, red (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)</b>
9196	Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)

**Front Suspension & Steering**

2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
<b>3642</b>	<b>Attachment screws, shock (3x12mm shoulder screws) (6)</b>
3637	Axles (front) (2)
<b>5116</b>	<b>Ball bearings, blue rubber sealed (5x11x4mm) (2)</b>
<b>2530-BLK</b>	<b>Bulkhead (front) (black)</b>
2530-GRAY	Bulkhead (front) (gray)
2545	Bushings (plastic) (5x8x2.5mm) (4)
9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
<b>9136</b>	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9136-BLUE</b>	<b>Caster blocks (c-hubs), extreme heavy duty, blue (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
<b>9136-GRN</b>	<b>Caster blocks (c-hubs), extreme heavy duty, green (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9136-ORNG</b>	<b>Caster blocks (c-hubs), extreme heavy duty, orange (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
<b>9136-RED</b>	<b>Caster blocks (c-hubs), extreme heavy duty, red (left &amp; right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
3744X	Servo saver w/ adapters
3639	Shock tower (front)
3743	Steering bellcranks (l&r)/ draglink
<b>3743A</b>	<b>Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)</b>
<b>3743G</b>	<b>Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)</b>

**Page 3 Rustler® Brushless: TQ™ 2.4 GHz Radio (Model 37354-4) Parts List**

3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)
9196	Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3139	Turnbuckles (62mm) (front tie rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware	
2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
2545	Bushings (plastic) (5x8x2.5mm) (4)
3787	Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2746	Washers, 3x6mm metal (12)

LED Lights	
3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
3795	LED light harness, rear (requires #2477 wheelie bar mount)
3794	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2263	Y-harness, BEC to LED light set

Motors & Electronics	
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™
3790	Gear adapter, fixed
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
3384	Motor, BL-2s™ 3300, brushless
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof

**Page 4 Rustler® Brushless: TQ™ 2.4 GHz Radio (Model 37354-4) Parts List**

- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2280 Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))

**Radio System, Batteries & Chargers**

- 2827X 3000mAh 7.4V 2-Cell LiPo Battery
- 2923X 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
- 2926X 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
- 2940X 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
- 2941X 3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
- 2950X 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
- 2951X 4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
- 2842X 5000mAh 7.4V 2-Cell 25C LiPo Battery
- 2960X 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
- 2961X 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
- 2843X 5800mAh 7.4V 2-Cell 25C LiPo Battery
- 2869X 7600mAh 7.4V 2-Cell 25C LiPo Battery
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2985-2S Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2053 Gear set (for 2055, 2056 servos)
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 2912 Power adapter, AC, USB-C (45W) (110 volt, North America only)
- 2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)

- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module
- 6537 Wire retainers, gear cover/ 3x4mm BCS (2)

**Ready-To-Race Model**

- 37354-4 Rustler® Brushless: 1/10 Scale Stadium Truck. Ready-To-Race® with TQ™ 2.4GHz radio system and BL-2s™ brushless ESC (fwd/rev)

**Rear Suspension**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
- 9150 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
- 9150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
- 9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
- 9150-GRN Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
- 9150-ORNG Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
- 9150-RED Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
- 3638R Shock tower (rear) (for clipless body mounting)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)

5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)  
 5038 Spinning carousel rack

**Shocks (Pro-level Aluminum)**

2664 Big Bore shock cylinder (long) (1)  
 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)  
 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)  
 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)  
 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)  
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
 2742X Rod ends, short (6)/ hollow balls (6)  
 2667 Shock caps, aluminum (2) (Big Bore Shocks)  
 2362 Shock rebuild kit (for 2 shocks)  
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)  
 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)  
 1664 Shock shafts, steel, chrome finish (long) (2)  
 2656 Shock shafts, steel, chrome finish (xx-long) (2)  
 1765 Silicone diaphragms (4)  
 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)  
 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)  
 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

**Shocks (Ultra Shocks)**

3765A Body, Ultra Shock (long) (grey) (2)  
 3766A Body, Ultra Shock (XXL) (grey) (2)  
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
 2742X Rod ends, short (6)/ hollow balls (6)  
 3767 Shock caps (2)/ shock bottoms (2)  
 8361 Shock caps (black) (4) (assembled with hollow balls)  
 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)  
 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)  
 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)  
 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)  
 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)  
 2362 Shock rebuild kit (for 2 shocks)  
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)  
 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)  
 1664 Shock shafts, steel, chrome finish (long) (2)  
 2656 Shock shafts, steel, chrome finish (xx-long) (2)  
 3642 Shoulder screws, Ultra Shocks (3x12) (6)  
 1765 Silicone diaphragms (4)  
 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)  
 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))  
 3758 Springs (front) (2)  
 2458P Springs (front) (pink) (2)  
 2458A Springs (front) (white) (2)  
 3758T Springs, blue (front) (2)  
 3757T Springs, blue (rear) (2)  
 2458 Springs, front (black) (2)  
 3758A Springs, green (front) (2)  
 3757A Springs, green (rear) (2)  
 3757P Springs, pink (rear) (2)  
 3757 Springs, rear (black) (2)  
 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)  
 3758R Springs, red (front) (2)  
 3758X Springs, white (front) (2)  
 3757X Springs, white (rear) (2)  
 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)  
 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  
 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)  
 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

3793 Input shaft (slipper shaft) / spring pin  
 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))  
 2554 Screws, 3x6mm caphead machine (hex drive) (6)  
 5556 Slipper pressure plate & hub (aluminum alloy)

**Spur Gears & Pinion Gears**

3790 Gear adapter, fixed  
 2416 Gear, 16-T pinion (48-pitch) / set screw  
 1918 Gear, 18-T pinion (48-pitch) / set screw  
 2419 Gear, 19-T pinion (48-pitch) / set screw  
 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw  
 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw  
 4725 Gear, pinion (25-tooth) (48-pitch) / set screw  
 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)  
 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)  
 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)  
 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

**Steering Components**

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)  
 2545 Bushings (plastic) (5x8x2.5mm) (4)  
 9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)  
 2742 Rod ends, long (6)/ hollow ball connectors (6)  
 3744X Servo saver w/ adapters  
 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)  
 3743 Steering bellcranks (l&r)/ draglink  
 3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
 3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)  
 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering  
 9196 Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)  
 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  
 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  
 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  
 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  
 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

**Suspension Linkage**

2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)  
 9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)  
 9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)  
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
 5525R Rod ends, heavy duty (Jato®/Slayer) (8)  
 2742 Rod ends, long (6)/ hollow ball connectors (6)  
 5347 Rod ends, Revø® (large) with hollow balls (12)  
 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)  
 3642 Shoulder screws, Ultra Shocks (3x12) (6)  
 9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

**Page 6 Rustler® Brushless: TQ™ 2.4 GHz Radio (Model 37354-4) Parts List**

3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)	3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)	3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2)
9196	Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)	3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Ribbed tires, foam inserts) (front) (2)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	3771X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) (requires #2742 rod ends)	3772R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139	Turnbuckles (62mm) (front tie rods) (2)	3771R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)	6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6764	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	6764-BLKCR	Tires & wheels, assembled, glued (2.8") (RXT charcoal gray & black chrome wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6768A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
<b>Team Traxxas Items</b>			
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
2514	Decal sheet, racing sponsors	6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)	6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
9909	Traxxas® racing banner, red & black (3x7 feet)	3771A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
<b>Tires &amp; Wheels</b>			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)
1675	Bushings, self-lubricating (5x11x4mm) (14)	3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)		
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)		
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		
1647	Silicone Grease		
2754	Stub axle pins (4)		

**Page 7 Rustler® Brushless: TQ™ 2.4 GHz Radio (Model 37354-4) Parts List**

5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)		
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)		
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)		
4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts		
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)		
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
	Wheel nuts, splined, 17mm (blue-anodized) (4)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
5353	Wheel wrench, splined, 17mm	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
5480X	Wheel wrench, splined, 17mm		
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)		
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)		
3672	Wheels, chrome (2.2") (rear) (2)		
3673	Wheels, chrome 2.2" (front) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
3674	Wheels, dyeable nylon 2.2" (rear) (2)		
3675	Wheels, dyeable nylon 2.2 (front) (2)		
3774	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)		
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)		

**Transmission Components**

4607	Ball bearings (5x11x4mm) (8)	2537
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	1942
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)	5525R
5478	Flat wrench, 8mm (blue anodized aluminum)	2742
3790	Gear adapter, fixed	5347
3691	Gearbox halves (L&R) (black) w/ idler gear shaft	2742X
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft	3737A
5148	Grease, white lithium	
9492	Idler gear, 30-tooth/ idler gear shaft (steel)	
3696	Idler gear, steel (30-tooth)	3738A
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)	3737
3793	Input shaft (slipper shaft) / spring pin	3738
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)	1937
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	3139
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	2336
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)	3741A
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) (requires #3731 for clipless body mounting)	
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	3139A
2554	Screws, 3x6mm caphead machine (hex drive) (6)	3741G
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)	3741G
1647	Silicone Grease	
5556	Slipper pressure plate & hub (aluminum alloy)	3139G
3195	Top drive gear, steel (22-tooth)	
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	

**Traxxas Tools**

3433X	Body reamer (aluminum handle)	3741T
3433	Body reamer (plastic handle)	
3436	Cap, body reamer	3139T
3432	Scissors, curved tip	
3431	Scissors, straight tip	3741P
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive	3139P
8720	Speed bit handle, large (overmolded)	
8721	Speed bit handle, medium (one piece)	3741X
8722	Speed bit handle, premium (rubber overmold)	

**Turnbuckles & Threaded Rods**

3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)	
Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	
Rod ends, heavy duty (Jato®/Slayer) (8)	
Rod ends, long (6)/ hollow ball connectors (6)	
Rod ends, Revø® (large) with hollow balls (12)	
Rod ends, short (6)/ hollow balls (6)	
Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	
Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	
Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	
Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	
Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)	
Turnbuckles (62mm) (front tie rods) (2)	
Turnbuckles, 78mm (optional rear camber rods) (2)	
Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	
Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	
Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	
Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	
Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	
Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	
Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	
Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	
Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	

**Page 8 Rustler® Brushless: TQ™ 2.4 GHz Radio (Model 37354-4) Parts List**

- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)  
(assembled with rod ends & hollow balls) (requires 5mm  
aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center)  
(assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center)  
(assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2)  
(assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

***1-888-TRAXXAS***

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**