

## Stampede® Brushless (Model 36354-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	5400	axles (2)/ rubber tires (2)
	Body & Accessories	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
1926	Antenna caps, vinyl (2)/ antenna spool		Chassis & Attachments
1726 <b>3619</b>	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  Body mounts, front & rear/ body mount posts, front & rear	0.400.	
3013	(adjustable)/ 2.5x18mm screw pins (4)	9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3651X	Body, Stampede® (also fits Stampede® VXL), blue (painted,	9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12
	decals applied)		BCS (with threadlock) (2)
3620-BLUE	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals	9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12
	applied) (assembled with front & rear body mounts for clipless mounting)	9463A	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12
3620A-BLUE	Body, Stampede® (also fits Stampede® VXL), blue (painted,	9463A	BCS (with threadlock) (2)
	decals applied) (assembled with front & rear body mounts for	9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12
26E4C	clipless mounting)		BCS (with threadlock) (2)
3651G	Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)	3725X	Battery expansion kit (allows for installation of taller multi-cell
3620A-GRN	Body, Stampede® (also fits Stampede® VXL), green (painted,	3627X	attery packs) (Rustler, Bandit, Stampede) (requires part #3627X) Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal
	decals applied) (assembled with front & rear body mounts for	00277	posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
2000 ODN	clipless mounting)	1834	Body Clips (12) (standard size)
3620-GRN	Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless	3934	Body clips, heavy duty (12)
	mounting)	3614X	Body mounts, front & rear (for clipless body mounting)
3651T	Body, Stampede® (also fits Stampede® VXL), orange (painted,	3628 <b>2530-BLK</b>	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)  Bulkhead (front) (black)
0000 5000	decals applied)	2530-GRAY	Bulkhead (front) (gray)
3620-PINK	Body, Stampede® (also fits Stampede® VXL), pink (painted, decals applied) (assembled with front & rear body mounts for clipless	2735	Bumper (front)
	mounting)	2735P	Bumper (front) (pink)
3620A-PINK	Body, Stampede® (also fits Stampede® VXL), pink (painted,	3635	Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12
	decals applied) (assembled with front & rear body mounts for	3622X	BCS (2) (fits 2WD Stampede®) (for LED light kit installation)  Main chassis (black) (164mm long battery compartment) (fits
3620X	clipless mounting)	3022X	both flat and hump style battery packs) (use only with #3626R
302UA	Body, Stampede® (also fits Stampede® VXL), ProGraphix® (graphics are printed, requires paint & final color application)/		ESC mounting plate)
	decal sheet	3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat
3651P	Body, Stampede® (also fits Stampede® VXL), purple (painted,		and hump style battery packs) (use only with #3626R ESC mounting plate)
3651	decals applied) Body, Stampede® (also fits Stampede® VXL), red (painted,	3626R	Mounting plate, electronic speed control/receiver box (for installation
3031	decals applied)		of XL-5/VXL and waterproof receiver box into Stampede®)
3620A-RED	Body, Stampede® (also fits Stampede® VXL), red (painted,	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
	decals applied) (assembled with front & rear body mounts for	3639 3638R	Shock tower (front) Shock tower (for slipless hady mounting)
3620-RED	clipless mounting) Body, Stampede® (also fits Stampede® VXL), red (painted, decals	9462X	Shock tower (rear) (for clipless body mounting) Side plates, wheelie bar, blue (aluminum) (2)
0020-RED	applied) (assembled with front & rear body mounts for clipless	9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
	mounting)	9462G	Side plates, wheelie bar, green (aluminum) (2)
3617	Body, Stampede® (clear, requires painting) (requires #3614 to	9462A	Side plates, wheelie bar, orange (aluminum) (2)
3649	mount)/window, lights, grill decal sheet Body, Stampede®, Hawaiian graphics (painted, decals applied)	9462P 9462R	Side plates, wheelie bar, pink (aluminum) (2)
3651L	Body, Stampede®, ProGraphix® (graphics are printed, requires	3623-BLK	Side plates, wheelie bar, red (aluminum) (2) Skid plates, front & rear (black)
	paint & final color application)/ decal sheet	3623-BLUE	Skid plates, front & rear (blue)
3648	Body, Stampede®, Rock n' Roll (painted, decals applied)	3623-GRN	Skid plates, front & rear (green)
2514	Decal sheet, racing sponsors	3623-PINK	Skid plates, front & rear (pink)
3616 3619X	Decal sheets, Stampede® Latch, body mount, front (1), rear (1)/ latch mounts, front & rear (left &	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
30197	right) (for clipless body mounting)	4974 3677X	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3677A	Wheelie bar mount (1) / hardware (green)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	3677P	Wheelie bar mount (1) / hardware (green)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
4974 3677 <b>Y</b>	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)		series)
3677X 3677A	Wheelie bar mount (1) / hardware (blue) Wheelie bar mount (1) / hardware (green)	<b>9464</b>	Wheelie bar mount (heavy duty) Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
3677P	Wheelie bar mount (1) / hardware (green)  Wheelie bar mount (1) / hardware (pink)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®,
2070	series)	*****	Bandit® series)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	3678∆	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,
	series)	301 JA	Rustler®, Bandit® series)
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
20707	Rustler®, Bandit® series)	***	Rustler®, Bandit® series)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
	Bandit series)		Bandit® series)

Page 2	Stampede® Brushless: TQ™ 2.4 GHz radio (Model 3	6354-4) Pa	arts List
9460	Wheelie bar, black (assembled)/ wheelie bar mount	9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181
9460X 4976	Wheelie bar, black chrome (assembled)/ wheelie bar mount Wheels (4)/ Axles (2), for Maxx® Wheelie Bar		9182 upgrade kit)
1976 5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right
JIOUA	axles (2)/ rubber tires (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/		9181, 9182 upgrade kit)
	axles (2)/ rubber tires (2)	9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/		#9180, 9181, 9182 upgrade kit)
9461T	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/	9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/
7-7-011	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/	0400	9181, 9182 upgrade kit)
	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right) 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 at
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/		9181 upgrade kit)
9461P	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/	9136-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/
)40 IF	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 ar
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/		9181 upgrade kit)
	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)	9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))		9181 upgrade kit)
	Differential Components	9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right
2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 ar
	Stampede®, Slash®)		9181 upgrade kit)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,	9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right
200	Stampede®, Rustler®)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 at 9181 upgrade kit)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 at
-000/	Stampede®, Rustler®)		9181 upgrade kit)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)	9180	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty
1647	Silicone Grease	9180-BLUE	black (fits Rustler® 2WD or Stampede® 2WD)  Outer Driveline & Suspension Upgrade Kit, extreme heavy duty
	Driveline Components	3100-DLOL	blue (fits Rustler® 2WD or Stampede® 2WD)
3637	Axles (front) (2)	9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gra
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		(fits Rustler® 2WD or Stampede® 2WD)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	9180-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180-ORNG	green (fits Rustler® 2WD or Stampede® 2WD)  Outer Driveline & Suspension Upgrade Kit, extreme heavy duty
9150-BLUE	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/	3100-OKNG	orange (fits Rustler® 2WD or Stampede® 2WD)
7.00 DEGE	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty
	9181, 9182 upgrade kit)		red (fits Rustler® 2WD or Stampede® 2WD)
9150-GRAY		3638R	Shock tower (rear) (for clipless body mounting)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26r
150-GRN	9182 upgrade kit)  Carriers, stub axle, rear, extreme heavy duty, green (left & right)/		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
7130-OKN	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26m
	9181, 9182 upgrade kit)		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9150-ORNG			upgrade kit)
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm
9150-RED	#9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
JISU-KED	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9137-GRN	upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/
	9181, 9182 upgrade kit)	onor onur	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
828A	Differential output yoke assembly, extreme heavy duty (2) (left or		9181, 9182 upgrade kit)
	right, front or rear) (assembled with external-splined half shaft)/	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/
20504	screw pin (2)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	0127 DED	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mn
951R	Driveshafts, rear, steel-spline constant-velocity (complete	9137-RED	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	assembly) (2) (fits 2WD Rustler®/Stampede®)		upgrade kit)
751	Half shaft, internal splined (steel-spline constant velocity) (1)	9189	Toe links (molded composite) (96mm center to center) (2) (assemb
757	Rebuild kit, steel-splined constant-velocity driveshafts (includes		with hollow balls) (for use with #9180 upgrade kit)
	pins, dustboots, lube, and hardware)		Front Suspension & Steering
853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
2754	(assembled with internal-splined half shaft) Stub axle pins (4)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
	Stub axle, rear, steel-splined constant velocity (1)	3637	Axles (front) (2)
ทอง			Dell bearings blue with an acaled (5:44-4:4:4:0)
<b>6753</b> 9142	Suspension pin set, extreme heavy duty, complete (front and rear)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

2382	Diamet (4)/ t t (0)/		
2302	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	9136-RED	9181 upgrade kit)
2388X	shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit,	9130-KED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
5169	Stampede®, Rustler®) Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)	9180	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Rustler® 2WD or Stampede® 2WD)
1647	Silicone Grease	9180-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
	Driveline Components		blue (fits Rustler® 2WD or Stampede® 2WD)
3637	Axles (front) (2)	9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	9180-GRN	(fits Rustler® 2WD or Stampede® 2WD)  Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180-ORNG	green (fits Rustler® 2WD or Stampede® 2WD)  Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
9150-BLUE	9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/	9100-ORNG	orange (fits Rustler® 2WD or Stampede® 2WD)
7130-BLOL	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9180-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/	3638R	Shock tower (rear) (for clipless body mounting)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/		upgrade kit)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left &		upgrade kit)
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9137-GRN	upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/
	9181, 9182 upgrade kit)	9137-GKN	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or		9181, 9182 upgrade kit)
	right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully		9181, 9182 upgrade kit)
	assembled, ready to install)/ screw pin (1)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm
1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)	9189	Toe links (molded composite) (96mm center to center) (2) (assembled
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)		with hollow balls) (for use with #9180 upgrade kit)  Front Suspension & Steering
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
754	(assembled with internal-splined half shaft)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
2754 8 <b>753</b>	Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1)	3637	Axles (front) (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
7172	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	2530-BLK	Bulkhead (front) (black)
	#9180, 9181, 9182 upgrade kit)	2530-GRAY	Bulkhead (front) (gray)
	Extreme HD Upgrade Kit	2545	Bushings (plastic) (5x8x2.5mm) (4)
9195	Camber links, front (molded composite) (69mm center to center) (2)	9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade
	(assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)	0426	kit)
9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)	9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180,	9136-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
34E0 BI IIE	9181, 9182 upgrade kit)	0400 0041	9181 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
			REV. 240701 0318

Page 3 Star	mpede® Brushless:	TQ™ 2.4 GHz radio	(Model 36354-4) Parts List
-------------	-------------------	-------------------	----------------------------

9136-GRN			
	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	2745	Nuts, 3mm nylon locking (12)
	9181 upgrade kit)	3647	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)
9136-ORNG		1747	Nuts, 4mm nylon locking (10)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
9136-RED	9181 upgrade kit)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
	9181 upgrade kit)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1844X	Servo saver w/ adapters	1985 1942	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
3639	Shock tower (front)		(2)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3965	Screws, 2.5x8mm cap-head machine (6)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm	2587	Screws, 3x10mm caphead machine (6) (no washer)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
0.407.004.14	upgrade kit)	2578 2552	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive)
9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2593	Screws, 3x14mm button-head machine (by (fiex drive))
	upgrade kit)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
9137-ORNG	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/	2583 2580	Screws, 3x18 button-head machine (hex drive) (6) Screws, 3x20mm button-head machine (hex drive) (6)
9137-OKNG	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,	2591	Screws, 3x23mm button-head machine (hex drive) (6)
	9181, 9182 upgrade kit)	2582	Screws, 3x30mm button-head machine (hex drive) (6)
9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm	2575	Screws, 3x6mm button-head machine (hex drive) (6)
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2554	Screws, 3x6mm caphead machine (hex drive) (6)
3631X	upgrade kit) Suspension arms, black, front, heavy duty (2)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
3631A	Suspension arms, blue, front, heavy duty (2)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
3631G	Suspension arms, green, front, heavy duty (2)	3931 2542	Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x12mm countersunk machine (hex drive) (6)
3631T	Suspension arms, orange, front, heavy duty (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
3631R	Suspension arms, red, front, heavy duty (2)		captured (4)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	2754	Stub axle pins (4)
	#9180, 9181, 9182 upgrade kit)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)	2746	caster blocks) Washers, 3x6mm metal (12)
	(strengthens caster blocks)	2740	LED Lights
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen	0705	
2532	front bulkhead) Tie bar, fiberglass (requires suspension pins, part# 2640)	3795 3694	LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with
9189	Toe links (molded composite) (96mm center to center) (2) (assembled		LED lights & BEC Y-harness) (fits 2WD Stampede®)
	with hollow balls) (for use with #9180 upgrade kit)	2263	Y-harness, BEC to LED light set
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm		Motors & Electronics
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm		voltage)
	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC
27444	complete camber link set)	3383	& BL-2s™ 3300 motor) BL-2s™ Electronic Speed Control, waterproof (brushless)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/		(fwd/rev/brake)
	wrench	3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL-
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)		
			2s™
	(assembled w/ rod ends & hollow balls) (fits Stampede®)	3790	Gear adapter, fixed
37/1G	(requires 5mm aluminum wrench #5477)	2053	Gear adapter, fixed Gear set (for 2055, 2056 servos)
3741G	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,	2053 <b>2072A</b>	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos)
3741G	(requires 5mm aluminum wrench #5477)	2053 <b>2072A</b>	Gear adapter, fixed Gear set (for 2055, 2056 servos)
3741G 3741T	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front,	2053 2072A 2252 2272 1552	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	2053 2072A 2252 2272 1552 3384	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless
	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front,	2053 2072A 2252 2272 1552	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation
3741T	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2053 2072A 2252 2272 1552 3384 3626R	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
3741T 3741P	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2053 2072A 2252 2272 1552 3384 3626R	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation
3741T	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front,	2053 2072A 2252 2272 1552 3384 3626R	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
3741T 3741P	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
3741T 3741P	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
3741T 3741P 3741X	(requires 5mm aluminum wrench #5477)  Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench  Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2070 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)
3741P 3741X 2336X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
3741T 3741P 3741X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof
3741P 3741X 2336X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5//XL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
3741P 3741X 2336X 3644	(requires 5mm aluminum wrench #5477)  Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball
3741P 3741X 2336X 3644	(requires 5mm aluminum wrench #5477)  Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Turnbuckles, camber link, 49mm (82mm center to center)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2070 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing),
3741P 3741X 2336X 3644	(requires 5mm aluminum wrench #5477)  Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball
3741T 3741P 3741X 2336X 3644 3643	(requires 5mm aluminum wrench #5477)  Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250 2255 2280	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5//XL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
3741T 3741P 3741X 2336X 3644 3643  1926 1726 1834	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250 2255 2280 2075X 2270	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
3741T 3741P 3741X 2336X 3644 3643 1926 1726 1834 3934	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size) Body clips, heavy duty (12)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250 2255 2280 2075X 2270 2056	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2070 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)
3741T 3741P 3741X 2336X 3644 3643  1926 1726 1834	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  **Till Walff**  Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size) Body clips, heavy duty (12) Hardware kit, Bandit®/Stampede®/Rustler® (contains all	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250 2255 2280 2075X 2270	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
3741T 3741P 3741X 2336X 3644 3643 1926 1726 1834 3934	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size) Body clips, heavy duty (12)	2053 2072A 2252 2272 1552 3384 3626R 2254 2253 2251 2271 2074 2075R 2075 2250 2255 2280 2075X 2270 2056	Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Motor, BL-2s™ 3300, brushless Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2070 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Velineon® VXL-3s Brushless Power System, waterproof

		Dadio Custom Dattavias a Obarrara	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
100   100	20227	Radio System, Batteries & Chargers		3x8mm CCS (3)/ 3x10mm CCS (3)
2020X   3000mAh 8 at 7 cell that NIMH Battery, Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 3 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 3 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 3 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 3 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 3 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 3 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 7 cell that NIMH Battery, Series 5 Power Cell   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cell 2 Die Dattery   4000mAh 2 at 2 cell 2 Cel				
		<del>-</del>	6509R	
2401X   300mAh 8.47 x-cell hard NMH Battery, Series 3 Prower Cell   5285   Transmitter, TO 1 Acquire, 2 claumer (barramitter only)   1285			6507R	
2009.00		• • • • • • • • • • • • • • • • • • • •		
2000x4   2000xh 7 2V 4-cell flat high Battery, Series 4 Power Cell   5229   Canamitter, Toll Traxasat Link enabled, 2-4GHz high output, 2-4GHZ   2000xh 8 eV 7-cell flump h MMH Battery, Series 4 Power Cell   5229   Canamitter, Toll Traxasat Link enabled, 2-4GHz high output, 3-4GHZ   2000xh 8 eV 7-cell flump h MMH Battery, Series 8 Power Cell   5239   Canamitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter Coll)   Canamitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 4-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 2-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 2-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 2-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 2-channel (Iransmitter, Toll Traxasat Link enabled, 2-4GHz high output, 2-channel (Iransmitter, Toll			0540	·
		•		
2351X   230mAh 3.47 -cell hump NIMH Battery, Series 4 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery, Series 5 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery, Series 5 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery, Series 5 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery, Series 5 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery, Series 5 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery, Series 5 Power Cell   2360X   2360mAh 3.47 -cell target NIMH Battery (adapt 5 Traxxas 8)			0320	· · · · · · · · · · · · · · · · · · ·
2801 Soomah 3 AV -cell filtar NiMH Battery, Series 9 Power Cell 2812 Soomah 3 AV -cell filtar NiMH Battery, Series 9 Power Cell 2813 Soomah 3 AV -cell filtar NiMH Battery (Series 9 Power Cell 2814 Soomah 7 AV -2 -cell 28 LIPO Battery 2815 Adapter, Traxacell Dib LiPo battery (adapts Traxaces Dib batteries to separate balance ports) 2814 Sattery charge indicators, green (4), grey (4), blue (4) 2815 Antonna, Libe (1) write interest or separate balance ports) 2814 Sattery power Cell AA Malaine (4) 2815 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue 1, blue battery (1) 2816 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2816 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2817 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2818 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2819 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2826 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2827 Battery/charger completer pack (includes #2896 2-amp NiMH peak detecting AC Charger (1), #2225 Antonna 1, blue battery (1) 2828 Battery/charger completer pack (includes #2896 2-amp NiMH peak peak peak peak peak peak peak peak	2951X		6529	` <del>*</del> '
Section   Sect		<u>•</u>		
2848			6530	
2886 AG De Cadapter (10 Cadapte		• • • • • • • • • • • • • • • • • • • •	6511	
AC to D c adapter   Ac to D c adapter   adap		•		
Adapter, Traxxasis IDB LIPC battery (adapts Traxxasis IDB LiPC battery (adapts Traxxasis IDB LiPC battery (adapts to a part of the property of		<u>•</u>		
Address the proposition of the process of the proce	2938X	• • • • • • • • • • • • • • • • • • • •	36354-4	_
Battery charge indicators, green (4), grey (4), blue (4) transmitter) transmitter) transmitter) transmitter) transmitter) Battery (Armamitter) Battery (Power Cell AA Alkaline (4) Battery (Power Cell AA Cell SC Li (Power See Cell Nove (Power Cell Nathaliane (Power Cell Nathalia	4700		00004-4	
## States   Sattery door, TQ 2.4 transmitter (replacement for #8516, 6517   5110A   Sall bearings, black rubber sealed (5x11-xmm) (2)   1914   1914   1915   1915   1914   1915   1915   1914   1915				Rear Suspension
State   Stat			5116A	=
2914   Battery, Power Cell AA Alkaline (4)   29283   Battery/charger completer pack (includes #2396 2-amp NiMH posk delated)   1928   1929   1928   1929	00.0			=
peak detecting A C charger (1), #2923X 3000mAh 8.4V 7-cell NIMH   910   De battery (1)   Deb battery	2914	Battery, Power Cell AA Alkaline (4)		• , , ,
ib© battery (1)  attraction of the property of	2983			
Battery/charger complete pack (includes #2986 2-amp NIMH   109 battery (1)			9150	, , ,
peak detecting AC charger (1), #2328X 300mAh 8.4V 7-cell NIMH 9150.BLUE   Carriers, stub axle, rear, extreme heavy duty, blue (left & right)   Safatim Bing ching (2)   Satesy charger completer pack (includes #2970 ID® charger (1), 9150-GRN   Safatim Bing ching (2)   Safatim Bing (2)   Safatim Bing (2)   Safatim Bing (2)   Safatim Bing (2)   S	2984	- · · · ·		
100   battery (1)		peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH	9150-BLUE	
288-28 Batery/charger completer pack (includes \$7895 K. Carriers, stub axie, rear, extreme heavy duty, gray (left & right)/ \$227X 300mAh 7-4v Z-cell 20C LIPo (109 Battery (11))  2876 Carriers, Stub Axie, rear, extreme heavy duty, gray (left & right)/ \$27X 300mAh 7-4v Z-cell 20C LIPo (109 Battery (11))  2876 Charger, DZ, expert DL, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)  2877 Charger, DZ, expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2878 Charger, EZ-Peak Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2879 Charger, EZ-Peak Dual, 200W, NiMH/LIPO with iD Auto Battery (Includes average)  2870 Charger, EZ-Peak Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2871 Charger, EZ-Peak Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2872 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2873 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2874 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2875 Charger, EZ-Peak Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2876 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2877 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2878 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2879 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2870 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2871 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2872 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2873 Fuse, DIC Charger, EZ-Peak Unal, 200W, NiMH/LIPO with iD Auto Battery (Includes average)  2874 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2875 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2876 Fuse, DIC Charger, EZ-Peak Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes average)  2877 Expert Dual, 100W, NiMH/LIPO with iD Auto Battery (Includes ave		- · · · ·		
### States   Batterycharger completer pack (includes #2985 charger (1), #2227X 300mAn A-V 2-cell 20C LiPo (10) Battery (10)   ### BEC assembly (complete) (12.6 volts (6s LiPo) maximum input voltage)   ### Voltage   Charger, DIC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NIMH)   ### Voltage   Charger, DIC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NIMH)   ### Voltage   Charger, EZ-Peak Lulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Lulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), NIMH/LiPo with ID Auto Battery Identification   ### Charger, EZ-Peak Dulu and (10), And (	2992		0150 CDAY	
#2827X 3006mAh 7-4V 2-cell 20C LIPo ID9 Battery (1)	2985-2S		9150-GRAY	
voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Dive 1, 2 amp NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Dive 1, 2 amp NiMH/LiPo with iD® Auto Battery Identification Battery Identification Battery Identification Charger, EZ-Peak Dive 1, 2 amp NiMH/LiPo with iD® Auto Battery Identification and Bluetoorthy Batt				
Charger, EZ-Peak Lue 109M, IMMH/LiPo with iD Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Live 12-amp NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Live 12-amp NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Live 12-amp NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Live 12-amp NiMH/LiPo with iD® Auto Battery Identification Battery Identification Charger, EZ-Peak Live 12-amp NiMH/LiPo with iD® Auto Battery Identification	2260		9150-GRN	
Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	2075	<del>=                                    </del>		
Identification   Charger, EZ-Peak Live Dual, 200W, NIMH/LIPo with ID Auto   Battery Identification   Charger, EZ-Peak Plus, 4 amp, NIMH/LIPo with ID® Auto   Battery Identification   Charger, EZ-Peak® Plus 4, 8 amp, NIMH/LIPo with ID® Auto   Battery Identification   Battery Identification   Saistry Identification   Sai			9150-ORNG	· · · · · · · · · · · · · · · · · · ·
Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	2312		3130-01110	
Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery (Identification State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 8 amp, NiMH/LiPo with iD® Auto State Plus 4s, 9 and Pl	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		
Identification   Startery Identification			9150-RED	
Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto   3739   Screw pin set (Rustlere® Bandil/ Stampede®)	2970			
Battery Identification Charger, EZ-Pack®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery identification Sa55F Charger, EZ-Pack®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery identification Sa55F Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Battery Identification and Bluetooth® Battery Identification and Bluetooth® Battery Identification and Bluetooth® Satery Identification and Bluetooth® Suspension arms, plue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, ront, deft & right, heavy duty (2) Suspension arms, ront, front/rear (left & right), heavy duty (2) Suspension arms, ront, deft & right	2981		3739	
Battery identification  Communication link, telemetry expander  S555  Communication link, telemetry expander  S556  Suspension arms, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, orange, front/rear (left & right), heavy duty (2)  Suspension arms, rorange, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)  Suspension arms, red, front/rear (left & right), heavy duty (2)			3638R	
5855   Communication link, telemetry expander   EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®   36551   Suspension arms, green, front/rear (left & right), heavy duty (2)   5053   Ger set (for 2075, 2056 servos)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5053   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), heavy duty (2)   5052   Suspension arms, red, front/rear (left & right), high red, with the part (left & right), heavy du	2985			
EZ-Peak Live 12-amp NiMH/Lip of ast Charger with ID® Auto Battery Identification and Bluetoothe's Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 2073 Gear set (for 2055, 2056 servos) 2072A Gear set (for 2070, 2075 servos) 2272 Gear set, metal (for 2270 waterproof servo) 2273 Gear set, metal (for 2270 waterproof servo) 2274 Gear set, metal (for 2270 waterproof servo) 2275 Gear set, metal (for 2270 waterproof servo) 2276 LiP ocell voltage chocker/halancer (requires #2938X adapter for Traxxas® ID® batteries) 2276 In Control voltage chocker/halancer (requires #2938X adapter for Traxxas® ID® batteries) 2277 Mount, telemetry expander (fits Stampede® 2WD) 2270 A Servo casel, USB-C, 100W (high output), 5 ft. (1.5m) 2271 Servo casel, Mount, temperature sensor (electric motors) wire tild remained by the control of the control	6E2E			
Battery Identification and Bluetooth® Fuse, DIC Charger, SA (2) (for #2974, 2975, 2977)  9142  9153  9154  9155  915  9155  91				
Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)  Gear set (for 2055, 2056 servos)  Gear set (for 2070, 2075 servos)  Gear set, metal (for 2270 waterproof servo)  LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries)  Description of Traxxas® ID® batteries)  6557X Mount, telemetry expander (fits Stampede® 2WD)  Mount, temperature sensor (electric motors)/ wire tie/ thermal pad  Power adapter, AC, USB-C (45W) (110 volt, North America only) pad  Power adapter, AC, USB-C (45W) (110 volt, North America only)  Power adapter, AC, USB-C (45W) (110 volt, North America only)  Power cable, USB-C, 100W (high output), 5 ft. (1.5m)  Seal kit, expander box (includes o-ring, seals, and silicone grease)  Seal kit, expander box (includes o-ring, seals, and silicone grease)  Sensor, auto-detectable, voltage  Servo, digital high-torque (ball bearing), waterproof  Servo, digital high-torque (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, waterproof servo)  Servo, dig	20			
2272 Gear set, ffor 2070, 2075 servos) 2272 Gear set, metal (for 2270 waterproof servo) 2273 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries) 2276 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) 2276 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) 2276 Mount, telmetry expander (fits Stampede® 2WD) 2271 Mount, telmetry expander (fits Stampede® 2WD) 2272 Power adapter, AC, USB-C (45W) (110 volt, North America only) 2274 Power adapter, AC, USB-C (45W) (110 volt, North America only) 2275 Seal kit, expander box (includes o-ring, seals, and silicone grease) 2276 Sensor, auto-detectable, voltage checker/balancer (1) 3x4mm BCS (1) 3x4mm GS (1) 2277 Servo, digital high-seped, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2076 Servo, high-t			9142	
Sinck 0				
LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries)  2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)  5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)  5033 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)  5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)  5035 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)  5036 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)  5037 Oil, shock (50 wt, 700 cSt, 60cc) (silicone)  5038 Oil, shock (50 wt, 700 cSt, 60cc) (silicone)  5036 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)  5037 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5038 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5039 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5036 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5037 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5038 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5039 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5037 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5038 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5039 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5037 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5038 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5039 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700 cSt, 60cc) (silicone)  5030 Oil, shock (80 wt, 700		, ,		
Traxxas® ID® batteries   Suicone				
Traxxas® iD® batteries)  Traxxas® iD® batteries)  Mount, telemetry expander (fits Stampede® 2WD)  6535  Mount, telemetry expander (fits Stampede® 2WD)  2912  Power adapter, AC, USB-C (45W) (110 volt, North America only)  2916  Power cable, USB-C, 100W (high output), 5 ft. (1.5m)  6519  Receiver, micro, To 2.4GHz (3-channel)  6552  Seal kit, expander box (includes o-ring, seals, and silicone grease)  6526  Sensor, auto-detectable, temperature  6527  Sensor, auto-detectable, voltage  6528  Sensor, RPM (short) 3x4mm BCS (1)/3x4mm GS (1)  Servo case/gaskets (for 2270 waterproof servos)  2075  2074  Servo case/gaskets (for 2250 waterproof servos)  2075  Servo, digital high-torque (ball bearing), waterproof  2076  Servo, digital high-torque, metal gear (ball bearing), waterproof  2075  Servo, digital high-torque, metal gear (ball bearing), waterproof  2075  Servo, digital high-torque, metal gear (ball bearing), waterproof  2075  Servo, digital high-torque, metal gear (ball bearing), waterproof  2075  Servo, digital high-torque, metal gear (ball bearing), waterproof  2075  Servo, high-torque, waterproof (blue case)  6550X  Telemetry expander 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X Felemetry GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with  #6551X GPS module 2.0, TQi radio system (for use only with)				
Mount, tellemetry expander (fits Stampede® 2WD)  Mount, temperature sensor (electric motors)/ wire tie/ thermal pad  Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Servo case/ gaskets (for 2270 waterproof servo) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry Expander 2.0, and GPS module 2.0, TQi radio system Telemetry Expander 2.0, TQi radio system (for use only with #6551X Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with telemetry of the transpart of the thermal pade (the themosthy of the transpart of the transpart of the transpart of transpart of the transpart o	2968			
Mount, temperature sensor (electric motors)/ wire tie/ thermal pad  2912 Power adapter, AC, USB-C (45W) (110 volt, North America only) 5037 2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m) 6519 Receiver, micro, TQ 2.4GHz (3-channel) 6520 Seal kit, expander box (includes o-ring, seals, and silicone grease) 6521 Sensor, auto-detectable, temperature 6522 Sensor, auto-detectable, voltage 6522 Sensor, auto-detectable, voltage 6523 Sensor, temperature and voltage (long) 2271 Servo case/ gaskets (for 2270 waterproof servos) 2074 Servo case/gaskets (for 2270 waterproof servos) 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, high-torque, waterproof (blue case) 2075A Servo, digital high-torque (blue case) 2075A Servo,	GEF7V	•		
pad Power adapter, AC, USB-C (45W) (110 volt, North America only) 2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m) 5017 Seal kit, expander box (includes o-ring, seals, and silicone grease) 5018 Sensor, auto-detectable, temperature 5027 Sensor, auto-detectable, voltage 6528 Sensor, auto-detectable, voltage 6529 Sensor, temperature and voltage (long) 6520 Servo case/ gaskets (for 2056 and 2075 waterproof servos) 6520 Servo, digital high-torque, metal gear (ball bearing), waterproof 6521 Servo, digital high-torque, metal gear (ball bearing), waterproof 6522 Servo, digital high-torque, metal gear (ball bearing), waterproof 6523 Servo, digital high-torque, metal gear (ball bearing), waterproof 6524 Servo, digital high-torque, metal gear (ball bearing), waterproof 6525 Servo, digital high-torque, metal gear (ball bearing), waterproof 6526 Servo, digital high-torque, metal gear (ball bearing), waterproof 6527 Servo, digital high-torque, metal gear (ball bearing), waterproof 6528 Servo, digital high-torque, metal gear (ball bearing), waterproof 6529 Servo, digital high-torque, metal gear (ball bearing), waterproof 6520 Servo, digital high-torque, metal gear (ball bearing), waterproof 6521 Servo, digital high-torque, metal gear (ball bearing), waterproof 6520 Servo, digital high-torque, metal gear (ball bearing), waterproof 6521 Servo, digital high-torque, metal gear (ball bearing), waterproof 6522 Servo, digital high-torque, metal gear (ball bearing), waterproof 6523 Servo, digital high-torque, metal gear (ball bearing), waterproof 6524 Servo, digital high-torque, metal gear (ball bearing), waterproof 6525 Servo, digital high-torque, metal gear (ball bearing), waterproof 6526 Servo, digital high-torque, metal gear (ball bearing), waterproof 6527 Servo, digital high-torque, metal gear (ball bearing), waterproof 6528 Servo, digital high-torque, metal gear (ball bearing), waterproof 6529 Servo, digital high-torque, metal gear (ball bearing), waterproof 6520 Servo, digital high-torque, metal gear (ball bearing), w				
Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Seal kit, expander box (includes o-ring, seals, and silicone grease) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2270 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, dight-torque, waterproof (blue case) Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with talk for the talk for the talk (for 2 shocks) Telemetry GPS module 2.0, TQi radio system (for use only wi	0000			
Seal kit, expander box (includes o-ring, seals, and silicone grease)  Seal kit, expander box (includes o-ring, seals, and silicone grease)  Sensor, auto-detectable, temperature  Sensor, auto-detectable, voltage  Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)  Servo case/ gaskets (for 2270 waterproof servo)  2075R Servo, digital high-torque (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, waterproof (blue case)  Telemetry expander 2.0, TQi radio system (for use only with #6551X Telemetry GPS module)  Telemetry GPS module 2.0, TQi radio system (for use only with  Seal kit, expander box (includes o-ring, seals, and silicone grease)  Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)  Spinning carousel rack  Spincing the propof of the propof of servo, being carousel rack  Spinning carousel rack  Spincing the propof of the propof of servo, being carousel rack  Spincing the propof of the propof of the propof of servo, big bere shock cylinder (long) (lard-anoti		·		
Seal kit, expander box (includes o-ring, seals, and silicone grease)  Seal kit, expander box (includes o-ring, seals, and silicone grease)  Sensor, auto-detectable, temperature  Sensor, auto-detectable, voltage  Sensor, auto-detectable, voltage  Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)  Sensor, temperature and voltage (long)  Servo case/ gaskets (for 2270 waterproof servo)  Servo case/ gaskets (for 2270 waterproof servos)  Servo, digital high-speed, metal gear (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, waterproof (blue case)  Servo, high-torque, waterproof (blue case)  Telemetry Expander 2.0, TQi radio system (for use only with  #6551X Telemetry GPS module)  Sensor, auto-detectable, temperature  Single Servo, cligidar (long) (1)  Sig Bore shock cylinder (long) (1)  Sig Bore shock (pand (long) (1)  Sig Bore shock (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)  Sig-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)  Sig-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)  Sig-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)  Sig-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)  Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)  Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  Shock caps, aluminum (2) (Big Bore Shocks)  Shock rebuild kit (for 2 shocks)				, ,, <u>-</u> ,
Spinning carousel rack  Spinsing carousel rack  Big Bore shocks (long) (hard-anodized & PTFE-coated T6  aluminum) (assembled with TiN shafts) w/o springs (2)  Spig-bore shocks (long) (hard-anodized & PTFE-coated T6  aluminum) (assembled with TiN shafts) w/o springs (2)  Big-bore shocks (long) (hard-anodized & PTFE-coated T6  aluminum) (assembled with TiN shafts) w/o springs (2)  Spis-bore shocks (long) (hard-anodized & PTFE-coated T6  aluminum) (assembled wi			ZASCAC	
Sensor, auto-detectable, temperature  Sinot (Sensor, auto-detectable, voltage  Sensor, auto-detectable, voltage  Sensor, auto-detectable, voltage  Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1)  Sensor, temperature and voltage (long)  Servo case/ gaskets (for 2270 waterproof servo)  Servo case/ gaskets (for 2270 waterproof servos)  2074 Servo case/ gaskets (for 2056 and 2075 waterproof servos)  2075R Servo, digital high-speed, metal gear (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, high-torque, waterproof (blue case)  Servo, high-torque, waterproof (blue case)  Telemetry Expander 2.0 and GPS module 2.0, TQi radio system  Servo (Bord aluminum)  Sinot (Servo (long) (1)  Sig Bore shocks (long) (hard-anodized & PTFE-coated T6  Big-bore shocks (long) (hard-anodized & PTFE-coated T6  Big-bore shocks (long) (hard-anodized & PTFE-coated T6  Big-bore shocks (long) (hard-anodized & PTFE-coated T6  Sinot (long) (1)  Servo, digital high-torque (ball bearing), waterproof  Servo, digital high-torque, metal gear (ball bearing), waterproof  Servo, digital high-torque (ball bearing), waterproof  Servo, digital high-	6552		5038	
Sensor, auto-detectable, voltage Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4mm GS (1) Sensor, temperature and voltage (long) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Servo, high-torque, waterp	6526	<b>5</b> ,		
Sensor, RPM (short)/ 3x4mm BCS (1)/3x4mm GS (1) Sensor, temperature and voltage (long) Servo case/ gaskets (for 2270 waterproof servo) 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos) 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, high-torque, waterproof (blue case) 2076 Servo, high-torque, waterproof (blue case) 2077 Telemetry expander 2.0 and GPS module 2.0, TQi radio system 2078 Telemetry expander 2.0, TQi radio system (for use only with 2079 Waterproof 2070 Servo, high-torque, metal gear (ball bearing), waterproof 2071 Servo, high-torque, metal gear (ball bearing), waterproof 2072 Servo, high-torque, metal gear (ball bearing), waterproof 2073 Servo, high-torque, metal gear (ball bearing), waterproof 2074 Servo, high-torque (ball bearing), waterproof 2075 Servo, high-torque, metal gear (ball bearing), waterproof 2075 Servo, high-torque, metal gear (ball bearing), waterproof 2075 Servo, high-torque (ball bearing), waterproof 2075 Servo, high-torque (ball bearing), waterproof 2075 Servo, high-torque	6527	Sensor, auto-detectable, voltage	2664	
Sensor, temperature and voltage (long) 2271 Servo case/ gaskets (for 2270 waterproof servo) 2074 Servo case/ gaskets (for 2270 waterproof servos) 2075 Servo, digital high-speed, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075 Servo, high-torque, metal gear (ball bearing), waterproof 2075 Servo, high-torque, waterproof (blue case) 2075 Servo, high-torque, metal gear (ball bearing), waterproof 2075 Servo, high-torque, waterproof (blue case) 2075 Servo, high-torque, waterproof (blue case) 2075 Servo, high-torque, waterproof (blue case) 2075 Servo, high-torque waterproof (blue case) 2075 Servo, high-torque, waterproof (blue case) 2075 Servo, high-torque, waterproof waterp				• • • • • • • • • • • • • • • • • • • •
Servo case/gaskets (for 2056 and 2075 waterproof servos)  Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque with TiN shafts) w/o springs (rear) (2) Sefon head set (2-ho				(assembled with TiN shafts and springs) (front & rear) (4)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque (ball bearing), waterproof 2076 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, high-torque, waterproof blue case) 2075X Servo, high-tor			2660	
Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case) Servo, high-torque, wa		. ,	2662	
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2056 Servo, high-torque, waterproof (blue case) 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (for use only with 46551X GPS module) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with 76551X Telemetry GPS module 2.0, TQi radio system (for use only with			2002	
2056 Servo, high-torque, waterproof (blue case) 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 36551X Telemetry GPS module 2.0, TQi radio system (for use only with 20667 Shock rebuild kit (for 2 shocks)			2669	
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with Telemetry GPS module 2.0, TQi radio system (for use only with Shock caps, aluminum (2) (Big Bore Shocks) Shock rebuild kit (for 2 shocks)			10.15	& washers (2) (Big Bore Shocks)
For the first of t			1942	
#6551X GPS module) 2667 Shock caps, aluminum (2) (Big Bore Shocks) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with 2362 Shock rebuild kit (for 2 shocks)			2742X	
6551X Telemetry GPS module 2.0, TQi radio system (for use only with 2362 Shock rebuild kit (for 2 shocks)		· · · · · · · · · · · · · · · · · · ·		
#655UX telemetry expander)	6551X			
		#655UX telemetry expander)		

Page 5 Stampede® Brushless: TQ™ 2.4 GHz radio (Model 36354-4) Parts
---

1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)	<b>4686</b> 4690	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper
1664	Shock shafts, steel, chrome finish (long) (2)		clutch)
2656	Shock shafts, steel, chrome finish (xx-long) (2)		Steering Components
1765 <b>2668</b>	Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers:	2545	Bushings (plastic) (5x8x2.5mm) (4)
2000	Spring retainers, upper & lower (2)/ Spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore	2742	kit) Rod ends, long (6)/ hollow ball connectors (6)
5050	shocks)	1844X	Servo saver w/ adapters
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)	9189	Toe links (molded composite) (96mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
	Shocks (Ultra Shocks)	2336	Turnbuckles, 78mm (2)
3765A	Body, Ultra Shock (long) (grey) (2)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®)
3766A 1942	Body, Ultra Shock (XXL) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	222CV	(requires 5mm aluminum wrench #5477)
2742V	(2)  Red ands, short (6)/ hallow halls (6)	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®)
2742X <b>3767</b>	Rod ends, short (6)/ hollow balls (6)  Shock caps (2)/ shock bottoms (2)		(requires 5mm aluminum wrench #5477)
8361	Shock caps (black) (4) (assembled with hollow balls)		Suspension Linkage
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	9195	Camber links, front (molded composite) (69mm center to center) (2)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	9195	(assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)	9194	Camber links, rear (molded composite) (82mm center to center) (2)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	1942	(assembled with hollow balls) (for use with #9180 upgrade kit)  Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	1372	screws (2)
2362	Shock rebuild kit (for 2 shocks)	2742	Rod ends, long (6)/ hollow ball connectors (6)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)	3642	Shoulder screws, Ultra Shocks (3x12) (6)
1664	(2) Shock shafts, steel, chrome finish (long) (2)	9142	Suspension pin set, extreme heavy duty, complete (front and rear)
2656	Shock shafts, steel, chrome finish (xx-long) (2)		(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3642	Shoulder screws, Ultra Shocks (3x12) (6)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)
1765	Silicone diaphragms (4)		(strengthens caster blocks)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole		Suspension pins, 44mm (2) w/ E-clips
3758	(2)) Springs (front) (2)	9189	Toe links (molded composite) (96mm center to center) (2) (assembled
2458A	Springs (front) (2) Springs (front) (white) (2)	3737A	with hollow balls) (for use with #9180 upgrade kit)  Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
3758T	Springs, blue (front) (2)	3/3/4	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
3757T	Springs, blue (rear) (2)		complete camber link set)
3758A	Springs, green (front) (2)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
3757A	Springs, green (rear) (2)		(1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3758P 3757P	Springs, pink (front) (2)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
3757F 3757	Springs, pink (rear) (2) Springs, rear (black) (2)		(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)		complete camber link set)
3758X	Springs, white (front) (2)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
3757X	Springs, white (rear) (2)		(1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
3762	ultra Shocks (black) (xx-long) (complete w/ spring pre-load		camber links)
3702	spacers & springs) (rear) (2)	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
	springs) (2)		wrench
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
	springs) (rear) (2)		(assembled w/ rod ends & hollow balls) (fits Stampede®)
075	Slipper Clutch Components	3741G	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,
3793	Input shaft (slipper shaft) / spring pin	3/416	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		wrench
2554	Screws, 3x6mm caphead machine (hex drive) (6)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,
5556	Slipper pressure plate & hub (aluminum alloy)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
	Spur Gears & Pinion Gears	3741P	wrench Turnbuckles, aluminum (pink-anodized), camber links, front,
3790	Gear adapter, fixed		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2416	Gear, 16-T pinion (48-pitch) / set screw		wrench
1918	Gear, 18-T pinion (48-pitch) / set screw	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
2419	Gear, 19-T pinion (48-pitch) / set screw		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2421	Gear, 21-T pinion (48-pitch) / set screw	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	2000A	(2)(assembled with rod ends & hollow balls) (fits Stampede®)
4725 4676	Gear, pinion (25-tooth) (48-pitch) / set screw		(requires 5mm aluminum wrench #5477)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
	• • • • • • • • • • • • • • • • • • • •		
	,	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2)

	Team Traxxas Items	5446	Transmission Components
916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
514	Decal sheet, racing sponsors	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &	5478	Flat wrench, 8mm (blue anodized aluminum)
	similar)	3790	Gear adapter, fixed
50	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3691	Gearbox halves (L&R) (black) w/ idler gear shaft
09	Traxxas® racing banner, red & black (3x7 feet)	3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
	Tires & Wheels	5148	Grease, white lithium
16		9492	Idler gear, 30-tooth/ idler gear shaft (steel)
16	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3696	Idler gear, steel (30-tooth)
75	Bushings, self-lubricating (5x11x4mm) (14)	9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty)
54	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	3793	Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin
47P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
17	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	23017	Stampede®, Rustler®)
47	Nuts, 4mm nylon locking (10)	1550	. , ,
47R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	<b>1552</b> 2382	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
47G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2302	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignr
17T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2200	shaft (1) all hardened steel
17A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2388X	Planetary gear differential with steel ring gear (complete) (fits Ba
85	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	0.40=	Stampede®, Rustler®)
		9495	Pro Series Magnum 272R™ Transmission, complete (assen
47 - 4	Silicone Grease		(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®
54	Stub axle pins (4)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)
89	Tires & wheels, assembled, glued (2.8") (All-Star black chrome		4.0mm NL (1)/ 5.0mm NL (1))
	wheels, paddle tires, foam inserts) (electric rear) (2) (TSM®	2554	Screws, 3x6mm caphead machine (hex drive) (6)
	rated)	3185X	Screws, 3x8mm washerhead machine (large head for motor mo
A86	Tires & wheels, assembled, glued (2.8") (All-Star black chrome		(6)
	wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)	1647	Silicone Grease
69A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome	5556	Slipper pressure plate & hub (aluminum alloy)
	wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)	3195	Top drive gear, steel (22-tooth)
	(TSM® rated)		1 9 , ( )
68	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,	3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Band
00	Talon tires, foam inserts) (electric rear) (2)		Stampede®, Slash®)
69	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,		Traxxas Tools
) 3	Talon tires, foam inserts) (nitro rear/electric front) (2)	3433X	
72 A			Body reamer (aluminum handle)
73A	Tires & wheels, assembled, glued (All Star black chrome wheels,		Body reamer (plastic handle)
70	Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)	3436	Cap, body reamer
73	Tires & wheels, assembled, glued (All Star chrome wheels,	3432	Scissors, curved tip
	Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)	3431	Scissors, straight tip
76A	Tires & wheels, assembled, glued (All-Star black chrome wheels,		Speed Bit Essentials Set, hex and nut driver, 7-piece, include
	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1		premium handle (medium), travel pouch, hex drivers (straig
	right)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0i
76R	Tires & wheels, assembled, glued (All-Star chrome wheels,		and 8.0mm), 1/4" drive
	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1	8720	Speed bit handle, large (overmolded)
	right)	8721	Speed bit handle, medium (one piece)
92	Tires & wheels, assembled, glued (black 2.8" wheels,	8722	Speed bit handle, premium (rubber overmold)
	Sledgehammer® tires, foam inserts) (2) (TSM® rated)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
78	Tires & wheels, assembled, glued (black 2.8" wheels,		premium handle (medium), travel pouch, hex drivers (straig
	Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM®		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	rated)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0
63X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove		8.0mm), 1/4" drive
	dual profile tires, foam inserts) (electric rear) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball e
65X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove	0/11	
•••	dual profile tires, foam inserts) (nitro rear/ electric front) (2)		includes premium handle (medium), travel pouch, hex drive
63	Tires & wheels, assembled, glued (satin chrome wheels, Terra		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
••	Groove dual profile tires, foam inserts) (electric rear) (2)	0740	2.5mm, 3.0mm), 1/4" drive
65	Tires & wheels, assembled, glued (satin chrome wheels, Terra	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
00	Groove dual profile tires, foam inserts) (nitro rear/ electric front)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5
			5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
78	(2) Tires, Anaconda® 2.8" (2)/ foam inserts (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
			drive
70	Tires, Sledgehammer® terra-spiked (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
90R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts		3.0mm) 1/4" drive
71	Tires, Talon 2.8" (2)/ foam inserts (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
54	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)		2.5mm), 1/4" drive
54	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
53X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) /		2.5mm, 3.0mm), 1/4" drive
	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #
	0.7 (4)/ axle pin (4) (Slash 2WD)		Phillips, and #2 Phillips bits), 1/4" drive
53	Wheel nuts, splined, 17mm (blue-anodized) (4)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
80X	Wheel wrench, splined, 17mm		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-j
76	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)		wrench)
		3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mr
72A	Wheels, All-Star 2.8" (black chrome) (electric rear)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nu
	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)	1	drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phi
76A	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
<b>76A</b> 72			wrenches/ driver handle)
<b>76A</b> 72	Wheels, chrome (2.2") (rear) (2)		,
<b>76A</b> 72 <b>72</b>	Wheels, chrome (2.2") (rear) (2) Wheels, chrome 2.2" (front) (2)		
76A 72 72 73	Wheels, chrome 2.2" (front) (2)		Turnijuckies & Hireaueu kous
76A 72 72 73 74	Wheels, chrome 2.2" (front) (2) Wheels, dyable nylon 2.2" (rear) (2)	19/12	Turnbuckles & Threaded Rods  Red ands (16 long & 4 short) bollow hall connectors (18) h
76A 72 72 73 74 75	Wheels, chrome 2.2" (front) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyeable nylon 2.2 (front) (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ b
76A 72 72 73 74 75	Wheels, chrome 2.2" (front) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)		Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ b screws (2)
76A 72 72 73 74 75	Wheels, chrome 2.2" (front) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyeable nylon 2.2 (front) (2)	5525R	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ b screws (2) Rod ends, heavy duty (Jato®/Slayer) (8)
72A 76A 72 72 73 74 75 74	Wheels, chrome 2.2" (front) (2) Wheels, dyable nylon 2.2" (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)		Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ k screws (2)

## Page 7 Stampede® Brushless: TQ™ 2.4 GHz radio (Model 36354-4) Parts List

2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM