



Ford® F-150® Raptor R™ 4X4 Ultimate (Model 101177-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

2728	Ball bearings, 5x8x2.5mm (2)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
3934	Body clips, heavy duty (12)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
10124	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
10111	Body, Ford Raptor R (clear, requires painting)/ window masks/ decal sheets
10112-BLK	Body, Ford Raptor R, complete (black) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-BLUE	Body, Ford Raptor R, complete (blue) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-FOX	Body, Ford Raptor R, complete (Fox® Edition) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-ORNG	Body, Ford Raptor R, complete (Fox® Edition) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-FOXSE	Body, Ford Raptor R, complete (Fox® Special Edition) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-RED	Body, Ford Raptor R, complete (red) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10120	Grille/ grille mount/ 3x10 BCS (7) (fully assembled, includes installed headlight lenses and decals) (fits #10111 body)
10142	Latch, body mount, front/ hood insert/ 3x8mm BCS (5) (for clipless body mounting) (attaches to #10111 body)
10144	Latch, body mount, rear/ rear latch mount (2)/ 3x8mm BCS (4) (for clipless body mounting) (attaches to #10111 body)
10143	Side mirrors (left & right)/ mirror mounts (left & right)/ 3x14mm BCS (2) (attaches to #10111 body)
10121	Tailgate trim/ trim mount/ 3x10mm BCS (7)/ decals (attaches to #10111 body)

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
6841	Cover, center driveshaft (clear)
6877A	Cover, gear (clear)
6877	Cover, gear/ motor wire hold-down clip
6780	Differential kit, center (complete) (aluminum carrier)
6780A	Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
10155	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm)
10155-GRAY	Driveshaft, center, 6061-T6 aluminum (gray-anodized) (274mm)
10155-ORNG	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (274mm)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
5148	Grease, white lithium
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6782	Output gears, center differential, hardened steel (2)
6890	Plate, motor

6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
6890-GRAY	Plate, motor, 6061-T6 aluminum (gray-anodized)
6890-ORNG	Plate, motor, 6061-T6 aluminum (orange-anodized)
6890R	Plate, motor, 6061-T6 aluminum (red-anodized)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
10119	Battery expansion kit (allows for installation of taller battery packs in #10122 chassis)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
10124	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
7424	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
10151	Bumper, front/ bumper mount, front/ light covers (left & right)/ 2.5x10mm BCS (4) (fits Ford Raptor R)
10152	Bumper, rear/ bumper mounts, rear (upper & lower) (fits Ford Raptor R)
10122	Chassis/ adapter, center driveshaft cover
6841	Cover, center driveshaft (clear)
7423	Nerf bars, chassis (2)
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780	Differential kit, center (complete) (aluminum carrier)
6780A	Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
6782	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)

Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
10155	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm)	9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
10155-GRAY	Driveshaft, center, 6061-T6 aluminum (gray-anodized) (274mm)	9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
10155-ORNG	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (274mm)	9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)	9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)	9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
5452X	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts)	9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
Extreme HD Upgrade Kit		9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)	9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
		9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
		9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
		9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
		9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
		9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

Front Suspension & Steering

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	Bulkhead tie bars, front & rear, aluminum (gray-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823-ORNG	Bulkhead tie bars, front & rear, aluminum (orange-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
6830X	Bulkhead, front
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9063-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)
9063-GRAY	Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)
9063-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)
9063-ORNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)
9063-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
9064-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)
9064-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)
9064-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)
9064-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)
9064-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK	Suspension arms, black, front/rear (left & right), heavy duty (2)
3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
3981	PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

10156	LED light harness, front (fits #10151 bumper) (requires #2263 Y-harness)
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
10190	LED light set, Ford Raptor R (contains front bumper with LED light bar and headlights harness) (fits #10111 series bodies)
10191	Pro Scale® LED light set (contains headlights harness) (fits #10111 series bodies)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™
10189	Gear adapter, fixed
2277	Gear set, metal (for 2275 servo)
3458	Heat sink (fits #3351R and #3461 motors)
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
3461	Motor, Velineon® 540XL, 2400Kv 70mm, brushless (assembled with 6.5mm gold-plated bullet connectors) (for Maxx®/Hoss®) (not for use in marine models)
6890	Plate, motor
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
6890-GRAY	Plate, motor, 6061-T6 aluminum (gray-anodized)
6890-ORNG	Plate, motor, 6061-T6 aluminum (orange-anodized)
6890R	Plate, motor, 6061-T6 aluminum (red-anodized)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
3440	Velineon® VXL-4s Brushless Power System, waterproof (includes VXL-4s ESC and 2400Kv, 70mm motor)
3445	Velineon® VXL-4s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2832X	5000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2889X	5000mah 14.8v 4-Cell 25C LiPo Battery (long)
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
2914	Battery, Power Cell AA Alkaline (4)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2970-2SR	Battery/Charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2970-3S	Battery/charger completer pack (includes #2970 iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1))
2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2990	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))
2985-3S	Battery/charger completer pack (includes #2985 charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1))
2996X	Battery/charger completer pack (includes 2971 EZ-Peak Live iD charger (1), 2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification

2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6512	Cover plate, Traxxas® Link Bluetooth® module
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2277	Gear set, metal (for 2275 servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3440	Velineon® VXL-4s Brushless Power System, waterproof (includes VXL-4s ESC and 2400Kv, 70mm motor)
3445	Velineon® VXL-4s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

101177-4	Ford® F-150® Raptor R™ 4X4; 1/10 Scale 4WD Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
----------	--

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	Bulkhead tie bars, front & rear, aluminum (gray-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823-ORNG	Bulkhead tie bars, front & rear, aluminum (orange-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
6829	Bulkhead, rear
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9065-RED	Carriers, stub axle, 6061-T6 aluminum, left & right (red-anodized) (for use with #9080 upgrade kit)
9065-BLUE	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (blue-anodized) (for use with #9080 upgrade kit)
9065-GRAY	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (gray-anodized) (for use with #9080 upgrade kit)
9065-GRN	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (green-anodized) (for use with #9080 upgrade kit)
9065-ORNG	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (orange-anodized) (for use with #9080 upgrade kit)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
3655-BLK	Suspension arms, black, front/rear (left & right), heavy duty (2)
3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466-PINK	Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7466A	Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7466R	Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467-PINK	Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))

7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks)
7464T	Shaft, GTR long, TiN-coated (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-ORNG	Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-PINK	Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-RED	Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462-GRAY	Shocks, GTR xx-long (gray) (assembled) (2) (without springs)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG	Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-PINK	Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-RED	Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
5431	Spring, shock (GTR) (rear) (1.2 rate silver) (1 pair)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Spur Gears & Pinion Gears

10189	Gear adapter, fixed
5641	Gear, 11-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5642	Gear, 13-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5640	Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5651	Gear, 15-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5652	Gear, 16-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5643	Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5644	Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5646	Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
6842X	Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)

6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
6834	Suspension pin set, complete (front and rear)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754	Stub axle pins (4)
10186-BLKCR	Tires & wheels, assembled, glued (Ford Raptor R black chrome wheels, BFGoodrich® All-Terrain™ T/A® KO2 tires, foam inserts) (2) (2WD front)
10187-BLKCR	Tires & wheels, assembled, glued (Ford Raptor R black chrome wheels, BFGoodrich® All-Terrain™ T/A® KO2 tires, foam inserts) (2) (4WD front/rear, 2WD rear)
10181	Tires, BFGoodrich® All-Terrain™ T/A® KO2 (dual profile 4.5x1.7-2.2/3.0") (2)/ foam inserts (2)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip

8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM