

## Mini Rally VXL Ford® RS200® (Model 108046-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings		Driveline Components
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9058X	Rebuild kit, steel-splined constant-velocity driveshafts
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		(includes pins and hardware for one axle shaft)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	10853	Differential output yoke assembly, extreme heavy duty (narrow)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		(1) (left or right, front or rear) (assembled with external-splined
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		half shaft)/ screw pin
10719	Ball bearings, black rubber sealed (7x14x3.5mm) (2)	10747X	Drive cup, steel (1)/ screw pin (1)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)	6888	Drive hub, center, rear (1)/ 4x3 GS (1)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)	10850	Driveshaft assembly, narrow (left or right, front or rear) (1) (fully
5115	Ball bearings, blue rubber shield (5x10x4mm) (2)	10856X	assembled, ready to install)/ screw pin (1)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	100307	Driveshaft, center, 6061-T6 aluminum (clear-anodized) (requires #10762 or 10862 pinion gear with either #10758
	Body & Accessories		slipper clutch or #10760 center differential) (for 262mm
10812	Body, Ford RS200 (clear, requires painting)/ window masks		wheelbase)
10812-WHT	Body, Ford RS200, complete (white) (painted, decals applied)	10858	Driveshaft, center, plastic (requires #10762 or 10862 with either
10824	Cross brace, body (with clipless latches) (fits #10812 series		slipper clutch #10758 or center differential 10760) (for 262mm
10021	bodies)		wheelbase)
10816-BLUE	Decal sheet, Mini Rally VXL (blue)	10850X	Driveshafts, steel constant-velocity, narrow (assembled),
10884-WHT	LED light pod housing, white (1)/ lens, clear (1)/ reflector, chrome		front or rear (4)/ drive cups (4)/ screw pins (4)
	(1) (replacement housing & lens only, LED lights not included)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
	(fits #10812 series bodies)	10758	Slipper clutch, complete (fits Mini Maxx®) (requires #10757
10885-WHT	LED light pod, white (assembled with LED lights & wire harness)		10762)
	(fits #10812 series bodies)	10759	Spur gear, 47-tooth (for slipper clutch) (0.8 metric pitch,
10818-BLUWHT	Side mirrors, white (left & right)/ roof intakes, blue (left & right) (for	40054	compatible with 32-pitch)
	#10812 series bodies)	10854	Stub axle assembly, outer, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with internal-splined half shaft
10825-BLUE	Side skirts, blue (left & right) (for #10812 series bodies)	1654	Wheel hubs, hex (2)/ stub axle pins (2)
	Bumpers & Skidplates	1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)
10837-BLUE	Skid plate, front (1)/ rear (1)/ bumper, front (1)/ rear (1) (blue) (for	10347	axle pins(2)
10001 BLOL	use with #10823 chassis)	1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)
	Chassis & Attachments	100410	
			Front Suspension & Steering
10724X	Adapters, electronic speed control (inner (6), outer (3))	10733-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized)
10726X	Battery hold-down/ battery clip/ hold-down post/ battery		(left & right)
40700\/	compartment spacer	10733-GRAY	Caster blocks (c-hubs), 6061-T6 aluminum (dark titanium-
10728X	Bulkhead, front (upper & lower)		anodized) (left & right)
10729	Bulkhead, rear (upper & lower)	10733-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized
10823	Chassis (for 262mm wheelbase)	10733-ORNG	(left & right)
10821 10777T	Clipless mounts, body (left & right) (for #10811 series bodies)	10/33-OKNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodize (left & right)
10839	Covers, gear (1)/ receiver (1)/ center driveshaft (1) Shock tower, front	10733-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized)
10838	Shock tower, rear	10733-KLD	(left & right)
10030		10732-BLK	Caster blocks (c-hubs), left & right (black)
	Differential Components	10732-BLUE	Caster blocks (c-hubs), left & right (blue)
10781	Carrier, differential (planetary gears)/ o-rings (2)/ ring gear gasket	10732-GRAY	Caster blocks (c-hubs), left & right (gray)
10880	Differential assembly (bevel gear), front or rear, complete/	10732-GRN	Caster blocks (c-hubs), left & right (green)
	pinion gear, differential, 13-tooth (front (1), rear (1))	10732-ORNG	Caster blocks (c-hubs), left & right (orange)
10760R	Differential kit, center (complete with steel spur gear)	10732-RED	Caster blocks (c-hubs), left & right (red)
	(aluminum carrier) (requires #10757 center driveshaft &	10747X	Drive cup, steel (1)/ screw pin (1)
40700	10762 pinion gear)	10850X	Driveshafts, steel constant-velocity, narrow (assembled),
10760	Differential kit, center (complete) (requires #10757 center		front or rear (4)/ drive cups (4)/ screw pins (4)
10050	driveshaft & #10762 pinion gear)	10839	Shock tower, front
10853	Differential output yoke assembly, extreme heavy duty (narrow)	10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
	(1) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin	10743-BLUE	Steering bellcranks, draglink (blue-anodized 6061-T6
10782	Gear set, differential (output gears (2), output gear shaft (1),		aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
10702	planetary gears (4), planetary gear shafts (4), differential spacers		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
	(2))		5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))	10743-GRAY	Steering bellcranks, draglink (dark titanium-anodized 6061-
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/		T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm
	ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10		BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1
	CCS (with threadlock) (4)	10743-GRN	5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2) Steering bellcranks, draglink (green-anodized 6061-T6
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-	.07-0-01(14	aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
	coated washer (1)/ 2.5x10 CCS (4)		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
6782X	Output gears, center differential, hardened steel (2)		5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10862	Pinion gear, differential (13/37 ratio) (rear) (requires driveshaft	10743-ORNG	Steering bellcranks, draglink (orange-anodized 6061-T6
	#10757, 10857, or 10858 with either slipper clutch #10758 or		aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
	center differential #10760)		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
			E 0 0 E I II I (0)/ E 40 4 I I I I (0)
	Ring gear, differential, 37-tooth/ pinion gear, differential, 13-tooth		5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10878	(planetary) (front)	10743-RED	Steering bellcranks, draglink (red-anodized 6061-T6
10878	(planetary) (front) Ring gear, differential, 37-tooth/ pinion gear, differential, 13-tooth	10743-RED	Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
10878 10879	(planetary) (front) Ring gear, differential, 37-tooth/ pinion gear, differential, 13-tooth (planetary) (rear)	10743-RED	Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
10878 10879	(planetary) (front) Ring gear, differential, 37-tooth/ pinion gear, differential, 13-tooth (planetary) (rear) Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch)		Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
	(planetary) (front) Ring gear, differential, 37-tooth/ pinion gear, differential, 13-tooth (planetary) (rear)	10743-RED 10734-BLUE	Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/

Page 2	Mini Rally VXL	Ford® RS200®: TQ	⊋i™ Traxxas Link™	Enabled 2.4GHz Radio	& TSM®	(Model 108046-1	) Parts List

10734-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250
10734-GIVAT	(left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)	2253	servo case, aluminum (middle) (red-anodized) (for 2255 Servo case, aluminum (middle) (red-anodized) (for 2255
10734-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with	2251	servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware
10734-ORNG	threadlock) (2) Steering blocks, 6061-T6 aluminum (orange-anodized) (left &	2271	(for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
	right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)	2074 <b>2075R</b>	Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing),
10734-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with	2250	waterproof Servo, digital high-torque 330 coreless, metal gear (ball
10736-BLK	threadlock) (2) Steering blocks, left & right (black)		bearing), waterproof
10736-BLUE	Steering blocks, left & right (blue)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
10736-GRAY 10736-GRN	Steering blocks, left & right (gray) Steering blocks, left & right (green)	2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
10736-ORNG 10736-RED	Steering blocks, left & right (orange) Steering blocks, left & right (red)	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
10831	Suspension arms, front (narrow) (upper left (1)/ upper right (1)/	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
10831-BLUE	lower left (1)/ lower right (1)) Suspension arms, front, blue (narrow) (upper left (1)/ upper	3350R	Velineon® VXL-3s Brushless Power System, waterproof (include VXL-3s waterproof ESC, Velineon® 3500 motor, and speed
10831-GRAY	right (1)/ lower left (1)/ lower right (1)) Suspension arms, front, gray (narrow) (upper left (1)/ upper	3355R	control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless)
	right (1)/ lower left (1)/ lower right (1))	000011	(fwd/rev/brake)
10831-GRN	Suspension arms, front, green (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))	2024	Radio System, Batteries & Chargers
10831-ORNG	Suspension arms, front, orange (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))	<b>2824X</b> 2825X	2300mAh 11.1V 3-Cell 25C LiPo Battery 3500mAh 7.4V 2-Cell 25C LiPo Battery
10831-RED	Suspension arms, front, red (narrow) (upper left (1)/ upper	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
10741X	right (1)/ lower left (1)/ lower right (1)) Suspension pins, inner, upper (hardened steel), 3x45mm (4)	2943	Battery charge indicators, green (4), grey (4), blue (4)
10740X	Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)	2914 2972	Battery, Power Cell AA Alkaline (4) Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)	2973	Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto
	Hardware	2970	Battery Identification
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)		Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
3965 2577	Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm button-head machine (hex drive) (6)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2551 2578	Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x12mm button-head machine (hex drive) (6)	2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2593	Screws, 3x12mm button-head machine (nex drive) (6) Screws, 3x14mm button-head machine (hex drive) (6)	2920	Charger, USB-C, 2s LiPo (with iD®)
2579	Screws, 3x15mm button-head machine (hex drive) (6)	6512	Cover plate, Traxxas® Link Bluetooth® module
2580 2554	Screws, 3x20mm button-head machine (hex drive) (6) Screws, 3x6mm caphead machine (hex drive) (6)	2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2072A	Gear set (for 2070, 2075 servos)
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2252	Gear set, metal (for 2250, 2255 servos)
2550	Screws, 3x8mm countersunk machine (6) (hex drive)	2272	Gear set, metal (for 2270 waterproof servo)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2287 2968X	Gear set, metal (for 2280 servo)
10741X 10740X	Suspension pins, inner, upper (hardened steel), 3x45mm (4) Suspension pins, outer (hardened steel), 3x34mm (4),	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
10740	3x37mm (4) Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4),	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
107 10	3x28mm (4), 3x46mm (2)	2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
	<b>LED Lights</b>	2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6588X	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)	6533X <b>2254</b>	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Servo case, aluminum (middle) (blue-anodized) (for 2250
10884-WHT	LED light pod housing, white (1)/ lens, clear (1)/ reflector, chrome (1) (replacement housing & lens only, LED lights not included)	2253	servo) Servo case, aluminum (middle) (red-anodized) (for 2255
10885-WHT	(fits #10812 series bodies) LED light pod, white (assembled with LED lights & wire harness)		servo)
10000 11111	(fits #10812 series bodies)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
6588X	Motors & Electronics	<b>2271</b> 2074	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)
	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3456	Cooling fan kit (with shroud) (fits #3351R and #3461 motors) (requires #3458 heat sink to mount)	2280	Servo, digital high-torque 600 brushless, metal gear (ball
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™	2075X	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
10777T	Covers, gear (1)/ receiver (1)/ center driveshaft (1)	6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2252 2272	Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)	6507A	TQi 2.4 GHz High Output radio system, 4-channel with
441 £	Gear set, metal (for 2280 servo)		Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter,
2287	,		5-ch micro receiver)
2287 2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	05001	T
2072R 3458	Gear set, metal, high-speed (for 2070, 2075 servos) Heat sink (fits #3351R and #3461 motors) Motor cover, endbell (Velipeon® 3500)	6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output 2-channel (transmitter only)
2072R		6528X 6529X	

	Ready-To-Race Model		Shocks (Ultra Shocks)
108046-1	Mini Rally VXL Ford® RS200®: AWD Race Car with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
	Stability Management (TSM)®	2742X	Rod ends, short (6)/ hollow balls (6)
	Rear Suspension	10863	Shaft, Ultra Shock, steel, chrome finish (35mm) (2)
	-	3767	Shock caps (2)/ shock bottoms (2)
10752-BLK	Carriers, stub axle (black) (rear) (left & right)	8361	Shock caps (black) (4) (assembled with hollow balls)
10752-BLUE	Carriers, stub axle (blue) (rear) (left & right)	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra
10752-GRAY	Carriers, stub axle (gray) (rear) (left & right)		Shocks)
10752-GRN	Carriers, stub axle (green) (rear) (left & right)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra
10752-ORNG	Carriers, stub axle (orange) (rear) (left & right)		Shocks)
10752-RED	Carriers, stub axle (red) (rear) (left & right)	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra
10751-BLUE	Carriers, stub axle, 6061-T6 aluminum (blue-anodized) (left &		Shocks)
	right)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra
10751-GRAY	Carriers, stub axle, 6061-T6 aluminum (dark titanium- anodized) (left & right)	3767X	Shocks) Shock caps, aluminum (red-anodized) (4) (fits all Ultra
10751-GRN	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)		Shocks)
10751-ORNG	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left	2362	Shock rebuild kit (for 2 shocks)
10731-OKNG	& right)	1705	Silicone diaphragms (4)
10751-RED	Carriers, stub axle, 6061-T6 aluminum (red-anodized) (left &	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
407.47	right)	10864	Springs, shock (natural finish) (0.97 rate) (1 pair)
10747X	Drive cup, steel (1)/ screw pin (1)	10867	Springs, shock (natural finish) (1.16 rate, green stripe) (1
10750	Driveshaft assembly (left or right, front or rear) (1) (fully		pair)
407F0V	assembled, ready to install)/ screw pin (1)	10868	Springs, shock (natural finish) (1.28 rate, black stripe) (1 pair)
10750X	Driveshafts, steel constant-velocity (assembled), front or rear	10860	Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)
10020	(4)/ drive cups (4)/ screw pins (4)		<b>Spur Gears &amp; Pinion Gears</b>
10838 10830	Shock tower, rear Suspension arms, rear (narrow) (upper left (1)/ upper right (1)/	20.4EV	-
	lower left (1)/ lower right (1))	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
10830-BLUE	Suspension arms, rear, blue (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
10830-GRAY	Suspension arms, rear, gray (narrow) (upper left (1)/ upper	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened
10830-GRN	right (1)/ lower left (1)/ lower right (1)) Suspension arms, rear, green (narrow) (upper left (1)/ upper	3948X	steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened
TOOGG CITAL	right (1)/ lower left (1)/ lower right (1))	00407	steel) (fits 3mm shaft)/ set screw
10830-ORNG	Suspension arms, rear, orange (narrow) (upper left (1)/ upper	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened
	right (1)/ lower left (1)/ lower right (1))		steel) (fits 3mm shaft)/ set screw
10830-RED	Suspension arms, rear, red (narrow) (upper left (1)/ upper	2438	Gear, 20-T pinion (32-pitch)/ set screw
	right (1)/ lower left (1)/ lower right (1))	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened
10741X	Suspension pins, inner, upper (hardened steel), 3x45mm (4)		steel) (fits 3mm shaft)/ set screw
10740X	Suspension pins, outer (hardened steel), 3x34mm (4),	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened
	3x37mm (4)		steel) (fits 3mm shaft)/ set screw
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4),	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened
	3x28mm (4), 3x46mm (2)		steel) (fits 3mm shaft)/ set screw
	Shock Oil	10840	Gear, 23-T pinion (32-p) (fits 3mm shaft)/ set screw
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	5645	Gear, 26-T pinion (32-p), heavy duty (fits 3mm shaft)/ set
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	10756	Screw
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	10/56	Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	10761	Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	10701	(for center differential)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	10759	Spur gear, 47-tooth (for slipper clutch) (0.8 metric pitch,
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	10755	compatible with 32-pitch)
5029	Shock oil bottle (60cc) (for mixing shock oil)	10756X	Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt,	1070070	32-pitch)
	& 80 wt premium shock oils with spinning carousel rack)	10761X	Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with
5038	Spinning carousel rack		32-pitch) (for center differential)
	Shocks (GTR Shocks)		Steering Components
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow	10745	Servo saver/ servo saver spring/ servo horn, steering
	balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
8455	Rebuild kit, GTR shocks (x-rings, bladders, pistons, piston	10743-BLUE	Steering bellcranks, draglink (blue-anodized 6061-T6
	nuts, shock rod ends) (renews 2 shocks)		aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
10865-BLUE	Shocks, GTR short, blue-anodized, PTFE-coated bodies with		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
	TiN shafts (4)		5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10865-GRAY	Shocks, GTR short, gray-anodized, PTFE-coated bodies with	10743-GRAY	Steering bellcranks, draglink (dark titanium-anodized 6061-
1006E CEN	TiN shafts (4)		T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm
10865-GRN	Shocks, GTR short, green-anodized, PTFE-coated bodies		BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
10865 OPNO	with TiN shafts (4) Shocks GTP short orange anodized PTEE coated hodies	10742 CDN	5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10865-ORNG	Shocks, GTR short, orange-anodized, PTFE-coated bodies with TiN shafts (4)	10743-GRN	Steering bellcranks, draglink (green-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
10865-RED	with TiN shafts (4) Shocks, GTR short, red-anodized, PTFE-coated bodies with		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
0.450	TiN shafts (4)	10743 OPNO	5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)	10743-ORNG	Steering bellcranks, draglink (orange-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
10834	Springs, shock (natural finish) (GTR short) (0.92 rate) (1 pair)		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
10851	Springs, shock (natural finish) (GTR short) (1.19 rate, green		5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10852	stripe) (1 pair) Springs, shock (natural finish) (GTR short) (1.36 rate, black	10743-RED	Steering bellcranks, draglink (red-anodized 6061-T6
10032	stripe) (1 pair)		aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS
			(with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/
			5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)

Page 4 Mini Rally VXL Ford® RS200®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 108046-1) Parts List

Suspension pins, inner, upper (hardened steel), 3x45mm (4) Suspension pins, outer (hardened steel), 3x34mm (4),
Suspension pine outer (hardened steel) 3x34mm (4)
3x37mm (4)
Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4)
3x28mm (4), 3x46mm (2) Toe links, front (molded composite) (2)/ hollow balls (4) (51mm
center to center)
Team Traxxas Items
Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 &
similar) Decal sheet, racing sponsors
Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-
4®, & similar)
Official Team Traxxas® racing decal set(flag logo/ 6-color)
Traxxas® racing banner, red & black (3x7 feet)
Tires & Wheels
Tires & wheels, assembled, glued (black wheels, dual profile
(2.0" outer, 2.6" inner), Speed Slicks tires) (soft compound,
rear) (2)
Tires & wheels, assembled, glued (black wheels, dual profile
(2.0" outer, 2.6" inner), Speed Slicks tires) (hard compound,
front) (2)
Tires & wheels, assembled (white wheels, dual profile (2.0" outer,
2.6" inner), rally tires) (front) (2)
Tires & wheels, assembled (white wheels, dual profile (2.0" outer,
2.6" inner), rally tires) (rear) (2)
Tires & wheels, assembled, glued (white wheels, dual profile (2.0' outer, 2.6" inner), rally tires) (front, hard compound (2), rear, soft
compound (2))
Tires & wheels, assembled (white, chrome beadlock wheels,
dual profile (2.0" outer, 2.6" inner), rally tires) (front) (2)
Tires & wheels, assembled (white, chrome beadlock wheels,
dual profile (2.0" outer, 2.6" inner), rally tires) (rear) (2)
Traxxas Tools
Body reamer (aluminum handle)
Body reamer (plastic handle)
Cap, body reamer
Rubber pit mat, 13x19x0.28
Rubber pit mat, 16x24x0.28
Rubber pit mat, 36x20
Scissors, curved tip
Scissors, straight tip
Speed Bit Essentials Set, hex and nut driver, 7-piece,
includes premium handle (medium), travel pouch, hex
drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers
(5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)
Speed bit handle, medium (rubber overmold)
Speed Bit Master Set, hex and nut driver, 13-piece, includes
premium handle (medium), travel pouch, hex drivers
(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm,
2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm,
5.5mm, 7.0mm, 8.0mm), 1/4" drive
Speed Bit Master Set, hex driver, 7-piece straight and ball
end, includes premium handle (medium), travel pouch, hex
drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end:
2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium
handle (medium), travel pouch, and nut drivers (4.0mm,
4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
1/4" drive
Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
3.0mm) 1/4" drive
Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
2.5mm), 1/4" drive
Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
2.5mm, 3.0mm), 1/4" drive
Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-
joint wrench)
Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.CDM