



Mini Slash® 4X4 (Model 108164-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
10719	Ball bearings, black rubber sealed (7x14x3.5mm) (2)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5115	Ball bearings, blue rubber shield (5x10x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)

Body & Accessories

10819	Body reinforcement set (fits #10811 series bodies)
10811	Body, Mini Slash® 4X4 (clear, requires painting)/ decal sheet (includes body reinforcement, interior, side trim, hardware) (for clipless mounting)
10811-GRN	Body, Mini Slash® 4X4, complete (green) (painted, decals applied)
10811-ORNG	Body, Mini Slash® 4X4, complete (orange) (painted, decals applied)
10811-PINK	Body, Mini Slash® 4X4, complete (pink) (painted, decals applied)
10811-RED	Body, Mini Slash® 4X4, complete (red) (painted, decals applied)
10811X	Body, Mini Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (includes body reinforcement, interior, side trim, hardware) (for clipless mounting)
10821	Clipless mounts, body (left & right) (for #10811 series bodies)
10820	Cross brace, body (with clipless latches)/ side trim (left & right) (for #10811 series bodies)
10815	Interior, black (assembled) (for #10811 series bodies)
10813	Number plates, left & right (for #10811 series bodies)

Bumpers & Skidplates

10835	Skid plate, front (1)/ rear (1)/ bumper, rear (1) (for use with #10822 chassis)
-------	---

Chassis & Attachments

10724X	Adapters, electronic speed control (inner (6), outer (3))
10826-BLUE	Battery hold-down, hold-down post (blue-anodized 6061-T6 aluminum)/ 3x15mm BCS (with threadlock) (1)
10826-GRAY	Battery hold-down, hold-down post (gray-anodized 6061-T6 aluminum)/ 3x15mm BCS (with threadlock) (1)
10826-GRN	Battery hold-down, hold-down post (green-anodized 6061-T6 aluminum)/ 3x15mm BCS (with threadlock) (1)
10826-ORNG	Battery hold-down, hold-down post (orange-anodized 6061-T6 aluminum)/ 3x15mm BCS (with threadlock) (1)
10826-RED	Battery hold-down, hold-down post (red-anodized 6061-T6 aluminum)/ 3x15mm BCS (with threadlock) (1)
10726X	Battery hold-down/ battery clip/ hold-down post/ battery compartment spacer
10728X	Bulkhead, front (upper & lower)
10729	Bulkhead, rear (upper & lower)
10822	Chassis (for 235mm wheelbase)
10821	Clipless mounts, body (left & right) (for #10811 series bodies)
10777T	Covers, gear (1)/ receiver (1)/ center driveshaft (1)
10839	Shock tower, front
10838	Shock tower, rear

Differential Components

10781	Carrier, differential (planetary gears)/ o-rings (2)/ ring gear gasket
10880	Differential assembly (bevel gear), front or rear, complete/ pinion gear, differential (13/37 ratio) (front (1), rear (1))
10760R	Differential kit, center (complete with steel spur gear) (aluminum carrier) (requires #10757 center driveshaft with #10762 pinion gear or #10857 center driveshaft with #10862 pinion gear)
10760	Differential kit, center (complete) (requires #10757 center driveshaft with #10762 pinion gear or #10857 center driveshaft with #10862 pinion gear)
10853	Differential output yoke assembly, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin
10782	Gear set, differential (output gears (2), output gear shaft (1), planetary gears (4), planetary gear shafts (4), differential spacers (2))
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))

6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
10762	Pinion gear, differential (12/47 ratio) (rear) (requires #10757, 10857 or 10858 center driveshaft with either #10758 slipper clutch or #10760 center differential)
10878	Ring gear, differential/ pinion gear, differential (planetary) (13/37 ratio) (front)
10879	Ring gear, differential/ pinion gear, differential (planetary) (13/37 ratio) (rear)
10761	Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
10761X	Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Driveline Components

9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
10853	Differential output yoke assembly, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin
10747X	Drive cup, steel (1)/ screw pin (1)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
10850	Driveshaft assembly, narrow (left or right, front or rear) (1) (fully assembled, ready to install)/ screw pin (1)
10856X	Driveshaft, center, 6061-T6 aluminum (clear-anodized) (requires #10762 or 10862 pinion gear with either #10758 slipper clutch or #10760 center differential) (for 262mm wheelbase)
10855	Driveshaft, center, direct drive (plastic, black) (for 235mm wheelbase)
10857	Driveshaft, center, plastic (requires pinion gear #10762 or 10862 with either slipper clutch #10758 or center differential 10760) (for 235mm wheelbase)
10850X	Driveshafts, steel constant-velocity, narrow (assembled), front or rear (4)/ drive cups (4)/ screw pins (4)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
10758	Slipper clutch, complete (fits Mini Maxx®) (requires #10757 & 10762)
10759	Spur gear, 47-tooth (for slipper clutch) (0.8 metric pitch, compatible with 32-pitch)
10854	Stub axle assembly, outer, extreme heavy duty (narrow) (1) (left or right, front or rear) (assembled with internal-splined half shaft)
9054X	Stub axle, front, steel-splined constant velocity (1)
1654	Wheel hubs, hex (2)/ stub axle pins (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins (2)
1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)

Front Suspension & Steering

10733-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized) (left & right)
10733-GRAY	Caster blocks (c-hubs), 6061-T6 aluminum (dark titanium-anodized) (left & right)
10733-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized) (left & right)
10733-ORNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized) (left & right)
10733-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized) (left & right)
10732-BLK	Caster blocks (c-hubs), left & right (black)
10732-BLUE	Caster blocks (c-hubs), left & right (blue)
10732-GRAY	Caster blocks (c-hubs), left & right (gray)
10732-GRN	Caster blocks (c-hubs), left & right (green)
10732-ORNG	Caster blocks (c-hubs), left & right (orange)
10732-RED	Caster blocks (c-hubs), left & right (red)
10747X	Drive cup, steel (1)/ screw pin (1)
10850X	Driveshafts, steel constant-velocity, narrow (assembled), front or rear (4)/ drive cups (4)/ screw pins (4)
10839	Shock tower, front
10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
10743-BLUE	Steering bellcranks, draglink (blue-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)

Page 2 Mini Slash® 4X4: TQ 2.4 GHz Radio (Model 108164-1) Parts List

10743-GRAY	Steering bellcranks, draglink (dark titanium-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-GRN	Steering bellcranks, draglink (green-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-ORNG	Steering bellcranks, draglink (orange-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-RED	Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10734-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)
10734-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)
10734-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)
10734-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)
10734-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 3x12mm SS (with threadlock) (4)/ 3x15mm BCS (with threadlock) (2)
10736-BLK	Steering blocks, left & right (black)
10736-BLUE	Steering blocks, left & right (blue)
10736-GRAY	Steering blocks, left & right (gray)
10736-GRN	Steering blocks, left & right (green)
10736-ORNG	Steering blocks, left & right (orange)
10736-RED	Steering blocks, left & right (red)
10831	Suspension arms, front (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10831-BLUE	Suspension arms, front, blue (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10831-GRAY	Suspension arms, front, gray (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10831-GRN	Suspension arms, front, green (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10831-ORNG	Suspension arms, front, orange (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10831-RED	Suspension arms, front, red (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10741X	Suspension pins, inner, upper (hardened steel), 3x45mm (4)
10740X	Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)

Hardware

3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2550	Screws, 3x8mm countersunk machine (6) (hex drive)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
10741X	Suspension pins, inner, upper (hardened steel), 3x45mm (4)
10740X	Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)

LED Lights

6588X	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
10886	LED light kit, Mini Slash® 4X4, complete (includes front roof light bar & rear light bars (2)) (fits #10811 body)

Motors & Electronics

6588X	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
10777T	Covers, gear (1)/ receiver (1)/ center driveshaft (1)
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2287	Gear set, metal (for 2280 servo)
3384	Motor, BL-2s™ 3300, brushless
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)

Radio System, Batteries & Chargers

2825X	3500mAh 7.4V 2-Cell 25C LiPo Battery
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2972	Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2920	Charger, USB-C, 2s LiPo (with iD®)
6512	Cover plate, Traxxas® Link Bluetooth® module
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2287	Gear set, metal (for 2280 servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)

Page 3 Mini Slash® 4X4: TQ 2.4 GHz Radio (Model 108164-1) Parts List

6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)

Ready-To-Race Model

108164-1	Mini Slash® 4X4: 4WD Brushless Electric Short Course Racing Truck with TQ™ 2.4GHz Radio System
----------	--

Rear Suspension

10752-BLK	Carriers, stub axle (black) (rear) (left & right)
10752-BLUE	Carriers, stub axle (blue) (rear) (left & right)
10752-GRAY	Carriers, stub axle (gray) (rear) (left & right)
10752-GRN	Carriers, stub axle (green) (rear) (left & right)
10752-ORNG	Carriers, stub axle (orange) (rear) (left & right)
10752-RED	Carriers, stub axle (red) (rear) (left & right)
10751-BLUE	Carriers, stub axle, 6061-T6 aluminum (blue-anodized) (left & right)
10751-GRAY	Carriers, stub axle, 6061-T6 aluminum (dark titanium-anodized) (left & right)
10751-GRN	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)
10751-ORNG	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & right)
10751-RED	Carriers, stub axle, 6061-T6 aluminum (red-anodized) (left & right)
10747X	Drive cup, steel (1)/ screw pin (1)
10850	Driveshaft assembly, narrow (left or right, front or rear) (1) (fully assembled, ready to install)/ screw pin (1)
10850X	Driveshafts, steel constant-velocity, narrow (assembled), front or rear (4)/ drive cups (4)/ screw pins (4)
10838	Shock tower, rear
10830	Suspension arms, rear (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10830-BLUE	Suspension arms, rear, blue (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10830-GRAY	Suspension arms, rear, gray (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10830-GRN	Suspension arms, rear, green (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10830-ORNG	Suspension arms, rear, orange (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10830-RED	Suspension arms, rear, red (narrow) (upper left (1)/ upper right (1)/ lower left (1)/ lower right (1))
10741X	Suspension pins, inner, upper (hardened steel), 3x45mm (4)
10740X	Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR Shocks)

7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
8455	Rebuild kit, GTR shocks (x-rings, bladders, pistons, piston nuts, shock rod ends) (renews 2 shocks)
10865-GRAY	Shocks, GTR, 63 mm (gray-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)
10865-BLUE	Shocks, GTR, 63mm (blue-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)
10865-GRN	Shocks, GTR, 63mm (green-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)
10865-ORNG	Shocks, GTR, 63mm (orange-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)
10865-RED	Shocks, GTR, 63mm (red-anodized, PTFE-coated bodies with TiN shafts) (fully assembled w/o springs) (4)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
10834	Springs, shock (natural finish) (GTR short) (0.92 rate) (1 pair)

10851	Springs, shock (natural finish) (GTR short) (1.19 rate, green stripe) (1 pair)
10852	Springs, shock (natural finish) (GTR short) (1.36 rate, black stripe) (1 pair)

Shocks (Ultra Shocks)

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
10863	Shaft, Ultra Shock, short (steel, chrome finish) (35mm) (2)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
2362	Shock rebuild kit (for 2 shocks)
1765	Silicone diaphragms (4)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
10864	Springs, shock (natural finish) (0.97 rate) (1 pair)
10867	Springs, shock (natural finish) (1.16 rate, green stripe) (1 pair)
10868	Springs, shock (natural finish) (1.28 rate, black stripe) (1 pair)
10860	Ultra Shocks (gray) (63mm) (includes spring pre-load spacers) (2)

Spur Gears & Pinion Gears

3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
5645	Gear, 26-T pinion (32-p), heavy duty (fits 3mm shaft)/ set screw
10762	Pinion gear, differential (12/47 ratio) (rear) (requires #10757, 10857 or 10858 center driveshaft with either #10758 slipper clutch or #10760 center differential)
10756	Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch)
10761	Spur gear, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
10759	Spur gear, 47-tooth (for slipper clutch) (0.8 metric pitch, compatible with 32-pitch)
10756X	Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with 32-pitch)
10761X	Spur gear, steel, 47-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

10745	Servo saver/ servo saver spring/ servo horn, steering
10743	Steering bellcranks (2)/ draglink (1)/ steering link (1)
10743-BLUE	Steering bellcranks, draglink (blue-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-GRAY	Steering bellcranks, draglink (dark titanium-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-GRN	Steering bellcranks, draglink (green-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-ORNG	Steering bellcranks, draglink (orange-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)
10743-RED	Steering bellcranks, draglink (red-anodized 6061-T6 aluminum)/ 3x13mm SS (with threadlock) (2)/ 3x12mm BCS (with threadlock) (2)/ 3x15mm BCS (with threadlock) (1)/ 5x8x2.5mm ball bearings (2)/ 5x10x4mm ball bearings (2)

Suspension Linkage

10741X	Suspension pins, inner, upper (hardened steel), 3x45mm (4)
10740X	Suspension pins, outer (hardened steel), 3x34mm (4), 3x37mm (4)
10740	Suspension screw pin set, front or rear, 3x40mm (6), 3x32mm (4), 3x28mm (4), 3x46mm (2)
10843	Toe links, front (molded composite) (2)/ hollow balls (4) (51mm center to center)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

10870-STBLK	Tires & wheels, assembled (black, satin chrome beadlock wheels, dual profile (1.4" outer, 2.6" inner), BFGoodrich® Mud-Terrain™ T/A® tires) (2)
10870-GRAY	Tires & wheels, assembled (charcoal gray wheels, dual profile (1.4" outer, 2.6" inner), BFGoodrich® Mud-Terrain™ T/A® tires) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3424	Rubber pit mat, 13x19x0.28
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM