



# TRX-6® Mercedes-Benz® G 63® AMG 6X6 (Model 88096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Axle Components

8241	Axle housing, front
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)
8837	Axle housing, rear (6X6)
8227	Axle mount set (complete) (front & rear) (for suspension links)
8836	Axle mount set (rear) (for suspension links)
8228	Axle shaft, front (left)/ drive pin/ cross pin
8229	Axle shaft, front (right)/ drive pin/ cross pin
<b>8060</b>	<b>Axle shaft, front, heavy duty (left &amp; right) (requires #8064 front portal drive input gear)</b>
<b>8062</b>	<b>Axle shaft, front, heavy duty (left &amp; right)/ portal drive input gear, front (machined) (2) (assembled)</b>
8230	Axle shaft, rear (left)
8231	Axle shaft, rear (right)
<b>8063</b>	<b>Axle shaft, rear, heavy duty (left &amp; right) (requires #8065 rear portal drive input gear)</b>
<b>8061</b>	<b>Axle shaft, rear, heavy duty (left &amp; right)/ portal drive input gear, rear (machined) (2) (assembled)</b>
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
8256	Portal drive axle mount, rear (left & right)
<b>8256X</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256A</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256G</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256R</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)</b>
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
8253	Portal drive housing, inner, rear (left or right) (2)
8251	Portal drive housing, outer (front or rear) (2)
<b>8064</b>	<b>Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)</b>
8257	Portal drive input gear, front/ drive pin/ cross pin
8259	Portal drive input gear, rear
<b>8065</b>	<b>Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)</b>
8258	Portal drive output gear, front or rear
<b>8252X</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252A</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252G</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252R</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)</b>
<b>8253X</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253A</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253G</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253R</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8251X</b>	<b>Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251A</b>	<b>Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251G</b>	<b>Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251R</b>	<b>Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)</b>
8255A	Stub axle, extended thread (portal drive) (2)
<b>8267</b>	<b>Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, #8251R, #8251A, or #8251G outer portal housing)</b>

## Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)

5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)

## Body (Mercedes-Benz® G 63®)

<b>8825</b>	<b>Body, Mercedes-Benz® G 63® (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, &amp; windshield wipers)</b>
8825R	Body, Mercedes-Benz® G 63®, complete (gloss black metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8825A	Body, Mercedes-Benz® G 63®, complete (gloss white metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8825X	Body, Mercedes-Benz® G 63®, complete (matte graphite metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8826	Decals, Mercedes-Benz® G 63®
<b>6593</b>	<b>Distribution block, Pro Scale® Advanced Lighting Control System</b>
8813X	Grille, Mercedes-Benz® G 500® 4x4 <sup>2</sup> /grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body)
8827	Grille, Mercedes-Benz® G 63®/ roll bar/ roll bar mounts, left & right/ 2.6x8 BCS (self-tapping) (2)/ 2.5x10 CS (4) (fits #8825 body)
<b>8893</b>	<b>Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® &amp; G 63® (includes mount, rear bumper lens, turn signal, reverse light, &amp; fog light harnesses, hardware)</b>
8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power supply)
8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
<b>6592</b>	<b>Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)</b>
<b>6591</b>	<b>Pro Scale® Advanced Lighting Control System (includes power module &amp; distribution block)</b>
<b>8898X</b>	<b>Pro Scale® LED light set, TRX-4® Mercedes® G 500® &amp; G 63®, complete with power module (contains headlights, tail lights, roof lights, &amp; distribution block) (fits #8811 or 8825 body)</b>
<b>6594</b>	<b>Receiver communication cable, Pro Scale® Advanced Lighting Control System</b>
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
8815X	Side trim, left & right (black)/ side trim retainers (8)/ door handles, left, right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42)
8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)

## Body Accessories

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
<b>1834A</b>	<b>Body clips, black (12) (standard size)</b>
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
<b>3934A</b>	<b>Body clips, heavy duty (black) (12)</b>
<b>8215</b>	<b>Body mounts &amp; posts, front &amp; rear (complete set)</b>
8115	Body posts, front & rear
4915	Body washers, foam adhesive (10)
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
<b>8081</b>	<b>Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)</b>
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
8828	Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
<b>8072</b>	<b>Fenders, inner, front &amp; rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)</b>
<b>9950</b>	<b>Official Team Traxxas® racing decal set(flag logo/ 6-color)</b>

## Bumpers & Skidplates

<b>8868</b>	<b>Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)</b>
8834	Bumper, rear (without trailer hitch receiver)
8820	Bumpers, front & rear

- 8835 Skid plates, Mercedes-Benz® G 63®, front & rear (satin-plated finish)/ 3x10 CCS (4)/ 3x10 BCS (4)
- 8830 Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)

### Chassis & Attachments

- 8327 Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
- 8223 Battery plate/ battery strap/ 3x8 flathead screws (4) (requires #8072 inner fenders)
- 8215 Body mounts & posts, front & rear (complete set)
- 8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
- 8829 Chassis rails, 590mm (steel) (left & right)
- 8818 Exhaust pipes, (left & right)
- 8081 Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)**
- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
- 8828 Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
- 8218 Floor pans, left & right
- 8224X Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease**
- 8819 Rock sliders/ rock slider caps (left & right)
- 8225 Seal kit, receiver box (includes o-ring, seals, and silicone grease)**
- 8240X Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
- 8239 Servo mount, steering/ chassis crossmember
- 8216 Shock towers, front & rear (left & right)
- 8830 Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)
- 8226 Tray, battery

### Differential Components

- 8283 Cable, T-lock (front)
- 8284 Cable, T-lock (rear)
- 8841 Cable, T-lock, rear (TRX-6®) (274mm)
- 8281 Carrier, differential/ differential slider/ T-Lock fork
- 8280A Differential cover, front or rear (black)
- 8280X Differential cover, front or rear (chrome plated)**
- 8280 Differential cover, front or rear (grey)**
- 8280R Differential cover, front or rear (red)**
- 8846 Differential cover, TRX-6™ intermediate (black)
- 8847 Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)
- 8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
- 8282 Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
- 8849 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6 axle configuration)
- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8279 Ring gear, differential/ pinion gear, differential
- 8279R Ring gear, differential/ pinion gear, differential (machined)**
- 8287 Ring gear, differential/ pinion gear, differential (overdrive, machined)**
- 8288 Ring gear, differential/ pinion gear, differential (underdrive, machined)**
- 8297 Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)**

### Driveline Components

- 8850 Half shafts, center (internal splined, extra short (1)/ external splined, extra short (1)) (plastic parts only)
- 8250 Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
- 8255A Stub axle, extended thread (portal drive) (2)
- 8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
- 8269X Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)**
- 8269A Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)**
- 8269G Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)**
- 8269R Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)**

### Hardware

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
- 1834 Body Clips (12) (standard size)**
- 1834A Body clips, black (12) (standard size)

- 3934 Body clips, heavy duty (12)**
- 3934A Body clips, heavy duty (black) (12)**
- 4859 CS 3x10 flathead (hex drive)
- 8167X Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)**
- 5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball**
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)**
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 8221 Screw pin, 3x10mm (6)
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 2618 Screws, 2.5x16mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2524 Screws, 2.5x8 countersunk machine (hex drive) (6)
- 2617 Screws, 2.5x8mm button-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 8299 Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
- 8167 Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
- 2564 Screws, 2x8mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2581 Screws, 3x25mm button-head machine (hex drive) (6)
- 2616 Screws, 3x27mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3933 Screws, 4x16mm button-head machine (hex drive) (6)

### LED Light Accessories

- 8031 3-in-1 wire harness, LED light kit**
- 8089 4-in-2 wire harness, LED light kit**
- 6589 Distribution block, LED light set**
- 6593 Distribution block, Pro Scale® Advanced Lighting Control System**
- 8893 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses, hardware)**
- 8897 LED light harness, rock lights, TRX-6™ (requires #8026X for complete rock light set)**
- 8899 LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power supply)
- 8898 LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
- 8028 LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness**
- 8026X LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)**
- 6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)**
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)**
- 8898X Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)**
- 6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System**

### Motors & Electronics

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)**
- 2064A Gear set (for 2065A waterproof sub-micro servo)
- 2064R Gear set, metal (for 2065R waterproof sub-micro servo)**
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)**
- 2272 Gear set, metal (for 2270 waterproof servo)**
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)**
- 8290X Motor mount plate, 6061-T6 aluminum (blue-anodized)**
- 8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)**
- 8290G Motor mount plate, 6061-T6 aluminum (green-anodized)**

8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
8290	Plate, motor/ upper spur gear cover
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8843	Servo horn (with built-in spring and hardware) (for 6X6 locking differential)
5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065A	Servo, sub-micro, waterproof
2065R	Servo, sub-micro, waterproof, metal gear
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
2261	Y-harness, BEC

**Pro Scale® Winch & Accessories**

8868	Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)
8859	Fairlead, winch
8862	Gearmotor, winch
8863	Hook, winch (steel)/ line retainer/ washer
8858	Housings (front & rear), winch/ decal
8864X	Line, winch (blue)
8864	Line, winch (gray)
8864R	Line, winch (red)
8860	Spool shaft assembly, winch
8861	Spool, winch
8855	Winch kit with wireless controller, TRX-4® and TRX-6®
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
8857	Wireless remote, winch, TRX-4® and TRX-6®

**Radio System, Batteries & Chargers**

2823X	1400mah 11.1v 3-Cell 25C LiPo Battery
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	Battery, Power Cell AA Alkaline (4)
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)

2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2064A	Gear set (for 2065A waterproof sub-micro servo)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6561	Mount, telemetry expander
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065A	Servo, sub-micro, waterproof
2065R	Servo, sub-micro, waterproof, metal gear
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
2261	Y-harness, BEC

**Ready-To-Race Model**

88096-4	TRX-6® Scale and Trail® Crawler with Mercedes-Benz® G 63® AMG Body: 6X6 Electric Trail Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System
---------	--

**Shock Oil**

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)

5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)  
 5038 Spinning carousel rack

**Shocks (GTS)**

8266A Body, GTS shock (aluminum, blue-anodized) (1)  
 8266G Body, GTS shock (aluminum, green-anodized) (1)  
 8266R Body, GTS shock (aluminum, red-anodized) (1)  
 8266 Body, GTS shock (aluminum, silver-anodized) (1)  
 8266X Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)  
 8264 Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))  
 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)  
 5475 Multi-tool (plastic)  
 8261 Piston, damper (red) (4)/ e-clips (8)  
 8262 Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)  
 Shock shaft, 3x47mm (GTS) (2)  
 8263 Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)  
 8263T Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)  
 8260X Shocks, GTS, blue-anodized (assembled with spring retainers) (2)  
 8260G Shocks, GTS, green-anodized (assembled with spring retainers) (2)  
 8260R Shocks, GTS, red-anodized (assembled with spring retainers) (2)  
 8260 Shocks, GTS, silver aluminum (assembled with spring retainers) (2)

**Slipper Clutch Components**

8292 Input shaft/ output shaft (transmission)  
 8286 Output shafts (transfer case), front & rear  
 8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))  
 8249 Slipper eliminator plate

**Springs**

8041 Springs, shock (GTS) (front) (0.45 rate) (2)  
 8040 Springs, shock (GTS) (rear) (0.54 rate) (2)  
 8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)  
 8043 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)  
 8044 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)  
 8045 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

**Spur Gears & Pinion Gears**

6746 Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw  
 6747 Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw  
 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw  
 6745 Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw  
 8052 Spur gear, 39-tooth (32-pitch)  
 8053 Spur gear, 45-tooth (32-pitch)

**Steering Components**

8232 Caster blocks (portal drive), left & right  
 8232X Caster blocks, 6061-T6 aluminum (blue-anodized), left and right  
 8232A Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right  
 8232G Caster blocks, 6061-T6 aluminum (green-anodized), left and right  
 8232R Caster blocks, 6061-T6 aluminum (red-anodized), left and right  
 2072X Gear set, metal (for 2070, 2075 servos)  
 2072R Gear set, metal, high-speed (for 2070, 2075 servos)  
 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)  
 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)

8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))  
 8276 Rod ends (10)  
 8277 Rod ends, angled 10-degrees (8)  
 2742 Rod ends, long (6)/ hollow ball connectors (6)  
 8278 Rod ends, offset (4)  
 8247X Servo horn, steering, metal/ 3x14 BCS (1)  
 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof  
 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof  
 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof  
 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof  
 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)  
 8246 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)  
 8243 Suspension link, front, 5x100mm (lower) (steel) (2)  
 8244 Suspension link, front, 5x63mm (upper) (steel) (2)  
 8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

**Suspension Linkage**

8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)  
 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)  
 8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))  
 8276 Rod ends (10)  
 8277 Rod ends, angled 10-degrees (8)  
 2742 Rod ends, long (6)/ hollow ball connectors (6)  
 8278 Rod ends, offset (4)  
 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)  
 8243 Suspension link, front, 5x100mm (lower) (steel) (2)  
 8244 Suspension link, front, 5x63mm (upper) (steel) (2)  
 8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)  
 8831 Suspension links, rear lower, 5x95mm (2) (steel)  
 8832 Suspension links, rear upper, 5x76mm (2) (steel)  
 8833 Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)

**Team Traxxas Items**

2514 Decal sheet, racing sponsors  
 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)  
 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)  
 9909 Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

8169T Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)  
 8169X Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)  
 8169G Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)  
 8169R Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)  
 8875 Center caps (2)/ beadlock rings (2) (requires #8255A extended thread stub axle)  
 8176 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)  
 8164 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)  
 8164X Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A extended stub axle)  
 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)  
 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)  
 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)  
 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)  
 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  
 8174 Tires and wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)  
 8182 Tires and wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)  
 8166 Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)  
 8177 Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)  
 8166X Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)  
 8183X Tires and wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)

8874	Tires and wheels, assembled, glued (2.2" black Mercedes-Benz® G 63® wheels, Canyon RT 4.6x2.2" tires) (2)/ center caps (2)/ beadlock rings (2) (requires #8255A extended thread stub axle)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8179	Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8871	Tires, Canyon RT 4.6x2.2"/ foam inserts (2) (wide) (requires 2.2" diameter wheel)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)		
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)		
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)		
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)		
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)		
8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)		
8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)		
8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)		
8271	Wheels, TRX-4® 1.9 (2)		
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)		
8178	Wheels, TRX-4® Sport 1.9 (2)		
8268	Wheels, TRX-4® Tactical 1.9 (2)		

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**

### Transmission Components

8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6 axle configuration)
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	Slipper eliminator plate
8296	Transmission gears, single speed, metal
8196	Two speed conversion kit

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive