

TRX-4 Sport (Model 82024-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
8241	Axle housing, front	8017	narrow inner fenders) Fender flares, front & rear (2 each)
8242	Axle housing, rear	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
8227	Axle mount set (complete) (front & rear) (for suspension links)		(8)/ battery plate/ 3x8 flathead screws (4)
8228	Axle shaft, front (left)/ drive pin/ cross pin	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8229 8060	Axle shaft, front (right)/ drive pin/ cross pin Axle shaft, front, heavy duty (left & right) (requires #8064 front	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batter plate/ 3x8 flathead screws (4)
8062	portal drive input gear) Axle shaft, front, heavy duty (left & right)/ portal drive input gear	8013	Grill, Land Rover Defender/ grill mount (3)/ headlight housing (2) lens (2)/ headlight mount (2) (fits #8011 body)
0000	(machined) (2) (assembled)	9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
8230 8231	Axle shaft, rear (left)	8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
8061	Axle shaft, rear (right) Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,		Bumpers & Skidplates
0001	rear (machined)	8234	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
	drive input gear)	8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	8237	Bumper mounts, front & rear/ screw pins (4)
8256	Portal drive axle mount, rear (left & right)	8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	8235	Bumper, front/ winch
8253	Portal drive housing, inner, rear (left or right) (2)	8236	Bumper, rear (476mm wide)
8251 8064	Portal drive housing, outer (front or rear) (2)	8125 8238	Bumper, rear (176mm wide)
0004	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	0230	Skidplate/ lower gear cover
8257	Portal drive input gear, front/ drive pin/ cross pin		Chassis & Attachments
8259	Portal drive input gear, rear	8215	Body mounts & posts, front & rear (complete set)
8065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8258	Portal drive output gear, front or rear	8058	Chassis conversion kit, TRX-4 (long to short wheelbase)
8255	Stub axle (portal drive) (2)		(includes rear upper & lower suspension links, front & rear inner
	Bearings & Bushings	0057	fenders, short female half shaft, battery tray, 3x8mm FCS (4))
54404	<u> </u>	8057	Chassis conversion kit, TRX-4 (short to long wheelbase) (includes rear upper & lower suspension links, front & rear
5119A 5120A	Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)		shock towers, long female half shaft)
5120A 5102A	Ball bearings, black rubber sealed (15x16x4mm) (2)	8220	Chassis rails, 448mm (steel) (left & right)
5102A 5104A	Ball bearings, black rubber sealed (13x21x411111) (2)	8218	Floor pans, left & right
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	8219	Rock sliders, left & right
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	8225	Seal kit, receiver box (includes o-ring, seals, and silicone
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		grease)
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	8240	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	8239	Servo mount, steering/ chassis crossmember
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)	8216 8226	Shock towers, front & rear (left & right)
	Body & Accessories	0220	Tray, battery
1926	Antenna caps, vinyl (2)/ antenna spool		Differential Components
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8281	Carrier, differential/ differential slider/ T-Lock fork
1834	Body clips (12) (standard size)	8280X	Differential cover, front or rear (chrome-plated)
1834A	Body clips, black (12) (standard size)	8280	Differential cover, front or rear (grey)
3934	Body clips, heavy duty (12)	8280R 8195	Differential cover, front or rear (red) Differential, locking, front and rear (assembled) (includes T-Lock
3934A	Body clips, heavy duty (black) (12)	0133	cables and servo)
8215	Body mounts & posts, front & rear (complete set)	8282	Gear set, differential (output gears (2), spider gears (4), spider
8115	Body posts, front & rear		gear shaft (2))
4915 8010	Body washers, foam adhesive (10) Body, Ford Bronco (clear, requires painting)/ decals/ window	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
0010	masks/ tailgate panel insert/ adhesive foam tape (2)		(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
8010X	Body, Ford Bronco, complete (black) (includes front and rear	0070	(1) 3x6 BCS with threadlock (1))
	bumpers, push bar, rear body mount, grill, side mirrors, door	8279	Ring gear, differential/ pinion gear, differential
	handles, windshield wipers, spare tire mount, red and sunset	8279R	Ring gear, differential/ pinion gear, differential (machined)
	decals) (requires #8072 inner fenders)	8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
8011	Body, Land Rover Defender (clear, trimmed, requires painting)/	8288	Ring gear, differential/ pinion gear, differential (underdrive,
00444	window masks/ decal sheet	0200	machined)
8011A	Body, Land Rover Defender, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)	8297	Spool/ differential housing plug/ e-clip
8011X	Body, Land Rover Defender, graphite silver (painted)/ decals		Driveline Components
8011G	Body, Land Rover Defender, green (complete with ExoCage,	8250	
=	inner fenders, fuel canisters, and jack)	8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8011R	Body, Land Rover Defender, red (painted)/ decals	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4)
8211	Body, Tactical Unit (clear, requires painting)/ decals	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
8211X	Body, Tactical Unit, night camo (painted)/ decals		screw pin (4)
8111	Body, TRX-4 Sport (clear, trimmed, requires painting)/ window	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
2544	masks/ decal sheet		screw pin (4)
2514 9113	Decal Short TRY 4 Sport	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
8113	Decal Sheet, TRX-4 Sport		screw pin (4)
8012			
8012 8016	Decals, Land Rover Defender ExoCage (complete with assembly hardware: #8015 roof basket		Hardware
8012 8016	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
	ExoCage (complete with assembly hardware; #8015 roof basket	1552 1834	

Soldy City, Duby, City (2) jested and size Body City, New York (2) jested and size Body City, New York (2) jested and size in size in the size of th	Page 2	TRX-4 Sport: TQ 2.4 GHz Radio (Model 82024-4) Pa	rts List	
Body clips, heavy dary (black) (12) Berlins with statibles sets (TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets, TA-4 (cortains all statibles sets) Berlins with statibles sets of the statible sets			8155	
stripe) for use with TRX-4 Long Arm Lift Kir) Services, Service and on TRX-4. Complains all stainless seet land and the services of the servi			8156	
hardware used on TRX-4) 547K M. Naturona, Tamm, 2.5mm, 3mm, 2.5mm hall 547K M. Naturona, 3mm, 2.5mm, 3mm, 3mm, 3mm, 2.5mm, 3mm, 3mm, 3mm, 3mm, 3mm, 3mm, 3mm,			0130	
Nus. 4mm flanged nyfon locking (steels, servated) (8) 17 Nus. 6mm flanged nyfon locking (steels, servated) (8) 17 Nus. 6mm flanged of sortions, servated (steel) (steels) 17 Nus. 4mm flanged, servated (4mm) (steels-anotherol (1)) 17 Nus. 2 steels anotherol (1) steel (1) steels (1) ste	0200	hardware used on TRX-4)	8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)
Nuls. 4.mm flanged you boding, seriated (aming (user anotideze) (1) 1747R Nuls. Amm flanged proximation, seriated (aming (user anotideze) (4) 1747R Nuls. Amminism, flanged, seriated (4ming (user anotideze) (4) 1747P Nuls. Amminism, flanged, seriated (4ming (user anotideze) (4) 1747P Nuls. Amminism, flanged, seriated (4ming (user anotideze) (4) 1747P Nuls. Amminism, flanged, seriated (4ming (user anotideze) (4) 1747P Nuls. Amminism, flanged, seriated (4ming (user anotideze) (5) 1752 Seriam, 2.55 from cap-head machine (bits divel) (5) 1752 Seriam, 2.55 from cap-head machine (bits divel) (5) 1753 Seriam, 2.55 from cap-head machine (bits divel) (5) 1753 Seriam, 2.55 from cap-head machine (bits divel) (6) 1754 Seriam, 2.55 from cap-head machine (bits divel) (6) 1755 Seriam, 2.55 from cap-head machine (bits divel) (6) 1757 Seriam, 2.55 from cap-head machine (bits divel) (6) 1758 Seriam, 2.55 from cap-head machine (bits divel) (6) 1759 Seriam, 2.55 from cap-head machine (bits divel) (6) 1750 Seriam, 2.55 from cap-head machine (bits divel) (6) 1750 Seriam, 2.55 from cap-head machine (bits divel) (6) 1750 Seriam, 2.55 from cap-head machine (bits divel) (6) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from cap-head machine (bits divel) (7) 1750 Seriam, 2.55 from ca			04.467	,
Nuss, aluminum, flanged, serrated (amm) (green-modized) (4) Nuts, aluminum, flanged, serrated (amm) (green-modized) (5) Nuts, aluminum, flanged, serrated (amm) (green-modized) (6) Nuts, aluminum, flanged, serrated (amm) (green-modized) (8) Nuts, aluminum, flanged, serrated (amm) (green-modized) (8) Nuts, aluminum, flanged, serrated (amm) (green-modized) (7) Sorew, 2.54 from con-head modine (8) Sorew, 2.54 from con-head modine (8) Sorew, 2.54 from con-head modine (8) Sorew, 2.55 from modificated modine (8) Sorew, 2.55 from con-head modine (8) Sorew, 2.55 from modificated modified (8x offee) (8) Sorew, 2.55 from modified (8x offee) (8) Sorew, 2.55 from modified (8x offee) (8) Sorew, 2.55 from modified (8x offee) (8x offee) (8x offee) Sorew, 2.55 from modified (8x offee) (8x offee) Sorew, 2.55 from modified (8x offee) (8x offee) (8x offee) Sorew, 2.55 from modified (8x offee) (8x offee) (8x offee) Sorew, 2.55 from modified (8x offee) (8x offee) Sorew			8146X	
Nuss, atturnium, flanged, serrated (4mm) (prices anotates) (4) 1977 PM, sturnium, flanged, serrated (4mm) (prices anotates) (4) 1985 Serves, 25-filter captured treatments for the (19) 298 Serves, 25-filter captured treatments for the (19) 299 Serves, 25-filter captured markine (bet dive) (6) 290 Serves, 25-filter captured markine (bet dive) (6) 291 Serves, 25-filter captured markine (bet dive) (7) 292 Serves, 25-filter captured markine (bet dive) (8) 293 Serves, 25-filter captured markine (bet dive) (8) 294 Serves, 25-filter captured markine (bet dive) (8) 295 Serves, 25-filter captured markine (bet dive) (8) 296 Serves, 25-filter captured markine (bet dive) (8) 297 Serves, 25-filter captured markine (bet dive) (8) 298 Serves, 25-filter captured markine (bet dive) (8) 299 Serves, 25-filter captured markine (bet dive) (8) 299 Serves, 25-filter captured markine (bet dive) (8) 290 Serves, 25-filter captured markine (bet dive) (8) 291 Serves, 25-filter captured markine (bet dive) (8) 292 Serves, 25-filter captured markine (bet dive) (8) 293 Serves, 3-filter captured markine (bet dive) (8) 294 Serves, 25-filter captured markine (bet dive) (8) 295 Serves, 3-filter captured markine (bet dive) (8) 296 Serves, 3-filter captured markine (bet dive) (8) 297 Serves, 3-filter captured markine (bet dive) (8) 298 Serves, 3-filter captured markine (bet dive) (8) 299 Serves, 3-filter captured markine (bet dive) (8) 299 Serves, 3-filter captured markine (bet dive) (8) 290 Serves, 3-filter captured markine (bet dive) (8) 290 Serves, 3-filter captured markine (bet dive) (8) 291 Serves, 3-filter captured markine (bet dive) (8) 292 Serves, 3-filter captured markine (bet dive) (8) 293 Serves, 3-filter captured markine (bet dive) (8) 294 Serves, 3-filter captured markine (bet dive) (8) 295 Serves, 3-filter captured markine (bet dive) (8) 295 Serves, 3-filter captured markine (bet dive) (8) 296 Serves, 3-filter captured markine (bet dive) (8) 297 Serves, 3-filter captured markine (bet dive) (8) 298 Serves, 3-filter captured markine (bet				
Note, aluminum, flamped, serrated (drimp) (gink-anodized) (a) 1956 1957 1958 195			8146R	· · · · · · · · · · · · · · · · · · ·
PIFE-coaced washers. 3x0b. Smm (20) (use with heal bearings) Servey. 2.5-form countersank machine (hex drive) (6) Servey. 3.5-form button-head machine (hex drive) (6) Servey. 3.1-form button-				
Screws, 2.5-form cap-head machine (fixed critine) (6) Screws, 2.5-form cap-head machine (7) Screws, 2.5-form cap-head machine (8) Screws, 3.5-form button-head ma				
Screws, 2.6x1 mm putno-head machine (in complete) Screws, 3.6x1 mm putno-head machine (in comple		. , , , , , , , , , , , , , , , , , , ,	8144X	
Screws, 2.5x1 fram cap-head machine (b) Screws, 2.5x1 fram cap-head machine (bx drive) (6) Screws, 2.5x6 fram button-head machine (bx drive) (6) Screws, 3.5x6 fram button-head machine (bx drive) (6) Screws, 3.5x6 fram button-head machine (bx drive) (6) Screws, 3.5x6 fram button-head machine (bx drive) (6) Screws, 3.5x7 fram button-head machine (bx drive) (6) Screws, 3.5x7 fram button-head machine (bx drive) (6) Screws, 3.5x7 fram button-head machine (bx drive) (6) Screws, 3.5x6 fram button-head machine (bx drive) (6) Screws, 3.5				
	3236	Screws, 2.5x12mm cap-head machine (6)	8144R	
Surgens, 2-58mm button-head machine (hex drive) (6)		Screws, 2.5x16mm cap-head machine (6)	• • • • • • • • • • • • • • • • • • • •	
Screws, 2-58mm cap-head machine (les) Screws, 2-58mm cap-head machine (les) Screws, 2-58mm cap-head machine (lex drive) (f) Screws, 2-58mm cap-head machine (lex drive) (f) Screws, 2-58mm cap-head machine (lex drive) (f) Screws, 3-10 mm button-head machine (hex drive) (f) Screws, 3-10 mm but				
Surgew, 2.56mm countensurk meachine (hex drive) (6)			8144	
Screws, 3/10mm button-head machine (hex drive) (6) 843X 8438 843			04.40	
Screws, 340mm button-head machine (hex drive) (6)			8143	
Screws, 342mm butch-head machine (hex drive) (6)			8143X	· · · · · · · · · · · · · · · · · · ·
Screws, 3/15mm button-head machine (fixe drive) (6) 8143R			014070	
Screws, 322mm button-head machine (hex drive) (6)		, , , , ,		
Screws, 32/2mm button-head machine (hix drive) (6) 8145	2579	Screws, 3x15mm button-head machine (hex drive) (6)	8143R	
Septems, 322/mm button-head machine (hex drive) (6) Sersew, 342/mm button-head machine (hex drive) (6) Sersew, 348/mm button-head machine (hex drive) (6) Sersew, 348/mb button-head machine (hex drive) (8) Suspension links, rear lower, ted (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with \$4140 KTX-4 Long Arm Lift Kit) Suspension links, rear lower, ted (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with \$4140 KTX-4 Long Arm Lift Kit) Suspension links, rear	2591	Screws, 3x23mm button-head machine (hex drive) (6)		
Screws, 32dmm button-head machine (hex drive) (6) 5755 Screws, 32dmm button-head machine (hex drive) (6) 5765 Screws, 32dmm button head machine (hex drive) (6) 5765 Screws, 32dmm button-head machine (hex drive) (6) 5765 Screws, 32dmm button-head machine (hex drive) (6) 5775 Screws, 32d			04.45	,
Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with bollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear lower, field (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit) Suspension links, rear lower, field (2) (5x115mm, powder coated steel)			0143	
steel) (assembled with hollow balls) for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long cluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1812X Body, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1814C Cable, T-lock (kerta long) (for use with TRX-4 Long Arm Lift Kit) 1814C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, long (aluminum; red-anodized) (for use with TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, Long (aluminum; red-anodized) (for use with TRX-4 Long Arm Lift Kit) 1816C Rody, GTS shock, Long (aluminum; re		. , , , ,	8145X	
Screws, 3dkmm button-head machine (hex drive) (6)				
Screws, 3x8mm flat-head machine (hex drive) (6) 18031 Screws, 3x8mm flat-head machine (hex drive) (6) 18032 LED land lift kif (18 3801 body) requires #8028 power supply) 18032 LED land lift kif (18 3801 body) requires #8028 power supply) 18032 LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/sall lights, side marker lights, flat light kit, power supply, lead the light kit, flat light kit, power supply, lead the light kit, flat light kit, f				
Strews, 4x16mm button-head machine (hex drive) (6)			8145R	
Suppose Supp				
30.7 LeD light bar (Rigid®), ED neadlighthall light kit (lits #8011 body, requires #8028 power supply) 30.8 LeD light bar (Rigid®), ED neadlighthall light kit, LeD light bar (Rigid®), LeD neadlighthall light kit, led neadlight, and distribution block) (lits #8010 body, requires #8028 power supply) 30.8 LeD light set, complete (contains rock light kit, LeD light bar (Rigid®), LeD neadlighthall light kit, power supply), and 3-in-1 wire harness) (fits #8011 body) 30.8 LeD light set, complete (contains rock light kit, LeD light bar (Rigid®), LeD neadlighthall light kit, power supply), and 3-in-1 wire harness) (fits #8011 body) 30.8 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply) (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits #8011 body) 30.9 LeD light set, complete with power supply (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness) (fits			81/12	
8027 LED hadalight/hail light kit (fits #9011 body, requires #8028 power supply) 8028 LED light bar (Rigid®), TRX-4 (requires #8028 power supply) 8030 LED light bar (Rigid®), TRX-4 (requires #8028 power supply) 8030 LED light bar (Rigid®), TRX-4 (requires #8028 power supply) 8030 LED light bar (Rigid®), TRX-4 (requires #8028 power supply) 8030 LED light set, complete (contains red kijpt kijpt), the promote (partial red kijpt)	9024	<u> </u>	0142	
supply. 1025 LED light bar (Rigid®), TRX-4 (requires #8028 power supply) 1026 LED light bar (kit (Rigid®)) power supply, TRX-4 1027 LED light set (contains headlights, tall light kit, power supply) 1028 LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED light set, complete (contains rock light kit, risk) spensor light with follow balls) (for use with #8140A TRX-4 Long Arm Lift Kit) 18035 LED light set, complete (contains rock light kit, LED lights, spower supply) (contains headlights, light set) and light kit, risk) spensor light kit, risk and ligh			8142X	, ,
LED light bar (Rigid®), nrx-4 (requires #8028 power supply, RX-4 (requires #8028 power supply), RX-4 (0021			
LED light bar (kir (Rigide)/power supply, rRX-4 billy start (Rigide)/power supply, requires #8028 power supply) 8036 LED light set (complete (contains headlights, tail lights, tail lights, side marker lights, distribution block) (fits #8010 body, requires #8028 power supply) and 3-in-1 wire harness) (fits #8011 body) 8035 LED light set, complete (contains rock light kit, LED light bar (gilde)/power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8010 body) 8028 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power with a fits and power supply) (fits #8010 body) 8028 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power with a fits and power	8025	** **		<u> </u>
and distribution block) (fits #8010 body, requires #8028 power supply). Boso Eb light set, complete (contains rock light kit, LED light bar (Rigid®), LED headilightal light kit, power supply, and 3-in-1 wire harness (fits #8010 body). Boso Eb light set, complete with power supply (contains headlights, all lights, side marker lights, distribution block, and power supply) (fits #8010 body). Boso Eb light set, complete with power supply (contains headlights, all lights, side marker lights, distribution block, and power supply) (fits #8010 body). Boso Eb lights, power supply (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness LED rock light kit, TRX-4 (requires #8028 power supply) Body, GTs shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit) Body, GTs shock, long (aluminum, red-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTs shock, long (sliver aluminum) (1) (fo			8142R	
and distribution block, (ints #8010 body, fedures #8028 power supply) LED light set, complete with complete (contains rock light kit, LED light bar (gligdie), LED headlighthail light kit, power supply, and 3-in-1 wire harness) (fits #8011 body) 8025 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8010 body) 8026 LED light set, complete with gover supply) (gregulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness 8026 LED rock light kit, TRX-4 (requires #8028 power supply) 8162X Body, GTS shock, long (aluminum, red-anodized) (1) (for use ##8140X TRX-4 Long Arm Lift Kit) 8162B Body, GTS shock, long (sliver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Sabe, T-lock (endrium) (for use with TRX-4 Long Arm Lift Kit) 8163 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 8164 Cap Arm Lift Kit, TRX-4, complete (ninks, blue-anodized shocks) 8165 Long Arm Lift Kit, TRX-4, complete (includes internal splined, noing (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8160 Shock shaft, 3x57mm (GTS) (2) (includes blue powder coated links, red-anodized shocks) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bure powder coated links, red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shock, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shock, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shock, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shock, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shock, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shock, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 L	8036	LED light set (contains headlights, tail lights, side marker lights,		
supply) Badlock wheels, Canyon Trail 2.2* tires, foam inserts) (1 left, 1 right) Ballock, LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/fall light kit, power supply, contains headlights, tire harness; little statistic lights, side marker lights, distribution block, and power supply) (fits #8010 body) Boz8 LED light set, complete with power supply (regulated, 3V, 0.5-amp), TRX-4/3-in-1 wire harness BLED rock light kit, TRX-4 (requires #8028 power supply) Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with TRX-4 Long Arm Lift Kit) Body, GTS shock, long (aluminum, ted-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (aluminum, ted-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Body, GTS shock, long (aluminum, ted-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Body,			8172	<u> </u>
(Rigid®), LED headlight/tail light kit, power supply, and 3-in-1 wire harness) (fits #8011 body) 120	0000	* * * * *		
wire harness) (fits #8011 body) 8035 LED light stc, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8010 body) 8026 LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4/ 3-in-1 wire harness 8026 LED rock light kit, TRX-4 (requires #8028 power supply) 8162 Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 RTX-4 Long Arm Lift Kit) 8164 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8165 Long Arm Lift Kit, 10 Lo	8030			right)
LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (filts #8010 body) 18028 LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4/ 3-in-1 wire harness 18026 LED rock light kit, TRX-4 (requires #8028 power supply) 18162X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit) 18162X Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 18162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 18163 Body, GTS shock, long (silver aluminum) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 18164 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 18165 Driveshaft extension kit, center (includes internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 18160 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 18140 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, red-anodized shocks) 18140 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 18161 Shock shaft, 3x5/mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 18162 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with TRX-4 Long Arm Lift Kit) 18160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 18160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 18160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 18160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 18161 Shock shaft, 3x5/mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 18162 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for			8181	
### stall lights, side marker lights, distribution block, and power supply) (Its #8010 body) ### starters ### stall bearing) ### stall bearing) ### stall lights, power supply (regulated, 3V, 0.5-amp), TRX-4/ 3-in-1 wire harness ### stall bearing) ### stall bea	8035	* * * * * * * * * * * * * * * * * * * *	9170	
LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4/ 3-in-1 wire harness LED rock light kit, TRX-4 (requires #8028 power supply) LONG Arm Lift Kit 8162X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 8162R Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum) (1) (for use with #8140 Long Arm Lift Kit) 8164 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8165 Diriveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140 Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8160 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS,		tail lights, side marker lights, distribution block, and power		
LED rock light kit, TRX-4 (requires #8028 power supply) LONG Arm Lift Kit 162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 162 Body, GTS shock, long (slure aluminum) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 163 Body, GTS shock, long (silver aluminum) (1) (for use with #8140X TRX-4 Long Arm Lift Kit) 164 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 165 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 166 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, luc-anodized shocks) 167 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn incommended for optimal performance) 167 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 168 Shocks, GTS, aluminum (Includes red powder coated with TRX-4 Long Arm Lift Kit) 169 Shocks, GTS, aluminum (GTS) (2) (includes bump stops) (for use with #8140X TRX-4 Long Arm Lift Kit) 170 Shocks, GTS, aluminum (GTS) (2) (includes bump stops) (for use with #8140X TRX-4 Long Arm Lift Kit) 171 Shocks, GTS, aluminum (GTS) (2) (includes bump stops) (for use with #8140X TRX-4 Long Arm Lift Kit) 172 Antenna, tube (1) vinyl antenna spool 172 Antenna, t			0171	
LED rock light kit, TRX-4 (requires #8028 power supply) Long Arm Lift Kit 8162X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit) 8162R Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (sliver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (sliver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8163 TRX-4 Long Arm Lift Kit) 8146 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8147 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 8150 Driveshaft extension kit, center (includes internal splined, long 2 and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit, TRX-4, complete links, blue-anodized shocks) 8140 Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4)) hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Lo	8028		8171A	
Long Arm Lift Kit 8162X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8163 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs)	9026			
Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit) 8162R Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8163 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8164 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8150 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, slue-anodized shocks) 8140R Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8161 Shocks fart, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8	8020		8180	Wheels, TRX-4 Sport 2.2 (2)
## ## ## ## ## ## ## ## ## ## ## ## ##		y		Motors & Electronics
B162R Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 8163 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8164 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 8150 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8140R Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8161 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, sluminum (slume-anodized) (assembled without springs) (4) (for use with #81	8162X	, , , , , , , , , , , , , , , , , , , ,	1926	
with #8140R TRX-4 Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 8162 TRX-4 Long Arm Lift Kit) 8148 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8147 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8150 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete 8140 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8161 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks ith #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, sliver aluminum (assembled without springs) (4) (for use	9462B			
Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit) 3975R S148 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8147 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 8150 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete 8140X Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (cannotized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160B Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (f	0102K			
TRX-4 Long Arm Lift Kit) 8148 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit) 8147 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit) 8150 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete 8140 Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140 Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #81400 TRX-4 Long Arm Lift Kit)	8162		2072X	
State (and internal splined, medium) (for use with TRX-4 Long Arm Lift Kit) Bito Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) Bito Long Arm Lift Kit, TRX-4, complete Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) Bito Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Bito Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4 Long		• • • • • • • • • • • • • • • • • • • •		
Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete 8140X Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)	8148	Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit)		, , , , , , , , , , , , , , , , , , , ,
(2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4, complete 8140X Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140A TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks gTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8170 Shocks gTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4		. , , , , , , , , , , , , , , , , , , ,		
Arm Lift Kit) Long Arm Lift Kit, TRX-4, complete Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)	8150		5669	
Long Arm Lift Kit, TRX-4, complete Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) Shocks shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 xele servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, waterproof (#2262 external BEC and #8247 xele servo horn recommended for optimal performance) Servo, digital h			2075R	
8140X Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (ford-anodized) (ford use with ford another transfer for optimal p	8140			
links, blue-anodized shocks) 140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks) 1408 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) 1414 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 1416 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 1416 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 1416 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 1416 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 1417 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1418 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1419 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1419 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1410 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1410 Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1410 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) 1410 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247				
links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) Shocks shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)				recommended for optimal performance)
Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit) Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof (low-voltage detection, fwd/rev/brake) Y-L5HV 3S Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) Y-harness, BEC Radio System, Batteries & Chargers 4000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery	8140R	Long Arm Lift Kit, TRX-4, complete (includes red powder coated	2255	
(for use with TRX-4 Long Arm Lift Kit) 8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)		· · · · · · · · · · · · · · · · · · ·		
8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without	8149		2075X	
8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)	Q1 <i>/</i> 11			
with TRX-4 Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, cluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, cluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, cluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, cluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, cluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, cluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)				· · · · · · · · · · · · · · · · · · ·
Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (4000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery	0.01		-	
springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (2849X 2872X	8160X		2261	Y-harness, BEC
Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) 2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery		springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit)		Radio System, Batteries & Chargers
springs) (4) (for use with #6140K 1RX-4 Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit) 2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery	8160R	• • • • • • • • • • • • • • • • • • • •	2849X	,
(for use with #8140 TRX-4 Long Arm Lift Kit) 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery	0460			•
2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery	0100			<u> </u>
		the state of the s	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery

Page 3	TRX-4 Sport: TQ 2.4 GHz Radio (Model 82024-4) Parts List

2869X 2976	7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W		Shocks (GTS)
2976 2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to	8266	Body, GTS shock (aluminum, silver-anodized) (1)
	separate balance ports)	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8266A 8266G	Body, GTS shock, aluminum (blue-anodized) (1)
2943	Battery charge indicators (green (4), blue (4), grey (4))	8266R	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/
8222	Battery strap, TRX-4 (for 2200 2-cell and 1400 3-cell LiPo		bottom cap (2)/ upper retainer (2)/ lower retainer (2))
ULLL	batteries)	8274	Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)
2914	Battery, Power Cell AA Alkaline (4)	5475	Multi-tool (plastic)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8263	Shock shaft, 3x47mm (GTS) (2)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2960X 2983	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery/charger completer pack (includes #2969 2-amp NiMH	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with
2303	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH		TiN shafts (assembled with spring retainers) (2)
	battery (1))	8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring
2992	Battery/charger completer pack (includes #2970 iD charger (1),	8260G	retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with
2991	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) Battery/charger completer pack (includes #2972 Dual iD charger	02000	spring retainers) (2)
2331	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))	8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring
2262	BEC, complete (includes receiver box cover and seals)		retainers) (2)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	1666	Silicone shock oil (30 wt)
2973	Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		Slipper Clutch Components
2313	Battery Identification	8292	Input shaft/ output shaft (transmission)
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery	8286	Output shafts (transfer case), front & rear
	Identification	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	8249	Slipper eliminator plate
6525	Identification Communication link, telemetry expander		Springs
6512	Cover plate, Traxxas Link Wireless Module	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	8042 8043	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
2072X	Gear set, metal (for 2070, 2075 servos)	8044 8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
	Traxxas iD batteries)	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas iD batteries)		Spur Gears & Pinion Gears
6561	Mount, telemetry expander (fits TRX-4)	6746	Gear, 10-T pinion (32-p) (steel)/ set screw
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	6747	Gear, 11-T pinion (32-p) (steel)/ set screw
	pad	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	20.42V	set screw
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
0332	grease)	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)
6526	Sensor, auto-detectable, temperature		set screw
6527	Sensor, auto-detectable, voltage	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)
6521	Sensor, temperature and voltage (long)	00.401/	set screw
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn	3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw
	recommended for optimal performance)	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)
2255	Servo, digital high-torque 400 brushless, metal gear (ball		set screw
	bearing), waterproof (#2262 external BEC and #8247 steel servo	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)
2075	horn recommended for optimal performance)	3949X	set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)
2075X 2065	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof	33437	set screw
6550	Telemetry expander, TQi radio system	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/
			set screw
6551	Telemetry GPS module, TQi radio system	20E1V	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)
	Telemetry GPS module, TQi radio system Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	3951X	
6551	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-		set screw
6551 6516 6530	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4- channel (transmitter only)	3952X	
6551 6516 6530 6511	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link Wireless Module		set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
6551 6516 6530	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC	3952X	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) set screw
6551 6516 6530 6511 2261	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model	3952X 6745	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 9-T pinion (32-p) (steel)/ set screw
6551 6516 6530 6511	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System	3952X 6745 8052	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4) Spur gear, 45-tooth (TRX-4)
6551 6516 6530 6511 2261	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model	3952X 6745 8052	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4)
6551 6516 6530 6511 2261	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System	3952X 6745 8052 8053	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel); set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4) Spur gear, 45-tooth (TRX-4) Steering Components
6551 6516 6530 6511 2261 82024-4	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System Scale Details Fuel canisters (black) (2)/ 3x8 FCS (1) Fuel canisters (blue) (2)/ 3x8 FCS (1)	3952X 6745 8052 8053 8232	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4) Spur gear, 45-tooth (TRX-4) Steering Components Caster blocks (portal drive), left & right/ kingpin bushings (4)
6551 6516 6530 6511 2261 82024-4 8022T 8022R 8022	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System Scale Details Fuel canisters (black) (2)/ 3x8 FCS (1) Fuel canisters (red) (2)/ 3x8 FCS (1)	3952X 6745 8052 8053 8232 2072X 2072R 8274	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4) Spur gear, 45-tooth (TRX-4) Steering Components Caster blocks (portal drive), left & right/ kingpin bushings (4) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)
6551 6516 6530 6511 2261 82024-4 8022T 8022R 8022R 8022X	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System Scale Details Fuel canisters (black) (2)/ 3x8 FCS (1) Fuel canisters (fed) (2)/ 3x8 FCS (1) Fuel canisters (white) (2)/ 3x8 FCS (1) Fuel canisters (white) (2)/ 3x8 FCS (1)	3952X 6745 8052 8053 8232 2072X 2072R	Set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4) Spur gear, 45-tooth (TRX-4) Steering Components Caster blocks (portal drive), left & right/ kingpin bushings (4) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
6551 6516 6530 6511 2261 82024-4 8022T 8022R 8022	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Y-harness, BEC Ready-To-Race Model TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System Scale Details Fuel canisters (black) (2)/ 3x8 FCS (1) Fuel canisters (red) (2)/ 3x8 FCS (1)	3952X 6745 8052 8053 8232 2072X 2072R 8274	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4) Spur gear, 45-tooth (TRX-4) Steering Components Caster blocks (portal drive), left & right/ kingpin bushings (4) Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)

Page 4	TRX-4 Sport:	TQ 2.4 GHz	Radio (Model	82024-4) Pa	rts List
--------	--------------	-------------------	--------------	-------------	----------

8276	Rod ends (10)	8173
8277	Rod ends, angled 10-degrees (8)	00
2742	Rod ends, long (6)/ hollow ball connectors (6)	8173A
8278	Rod ends, offset (4)	
8247	Servo horn, steering	8171
8247X 2075R	Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof	8171A
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	0260
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8268 8271
9246	captured (4) Stooring link, Ev60mm (1) / draglink, Ev417mm (1) (stool)	8271X
8246 8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)	8178
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8180
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	
	Suspension Linkage	
8058	Chassis conversion kit, TRX-4 (long to short wheelbase)	8283
0030	(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8284 8289
8057	Chassis conversion kit, TRX-4 (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	8293
8274	shock towers, long female half shaft) Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)	8293X
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8291
0000	adjustment shims; 3.5mm (2), 1.17mm (2)	8285
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	5041
	(4))	8292
8276	Rod ends (10)	8295
8277	Rod ends, angled 10-degrees (8)	
2742	Rod ends, long (6)/ hollow ball connectors (6)	8294
8278	Rod ends, offset (4) Shim set 3x7x1mm (2) 3x6x0.5mm (4) 3x7x2mm (2)/ hellow hells	8286
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8290
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	8249
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8296
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8196
	Team Traxxas Items	
2514	Decal sheet, racing sponsors	3432
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)	3431
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)	3415
9909	Traxxas racing banner, red & black (3x7 feet)	
	Tires & Wheels	
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	
8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)	
8168G		
8169A 8168A	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)	
	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)	
	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)	
8169R	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	
8169R 8168R	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	
8169R 8168R 8169	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	
8169R 8168R	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	
8169R 8168R 8169 8168 8174	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)	
8169R 8168R 8169 8168	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1	
8169R 8168R 8169 8168 8174	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome	
8169R 8168R 8169 8168 8174 8172 8273	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2)	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2)	
8169R 8168R 8169 8168 8174 8172 8273	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179 8181 8272	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 wheels, Canyon Trail 1.9 tires) (2)	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179 8181 8272 8270	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Wheels, Canyon Trail 1.9 tires) (2) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179 8181 8272 8270 8170	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 wheels, Canyon Trail 1.9 tires) (2) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179 8181 8272 8270 8170 8269	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4)	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179 8181 8272 8270 8170	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	
8169R 8168R 8169 8168 8174 8172 8273 8272X 8179 8181 8272 8270 8170 8269	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 satin beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4)	

	rings sold separately) (for use with TKX-4 Long Arm Lin Kit)
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8268	Wheels, Tactical 1.9 (2)
8271	Wheels, TRX-4 1.9 (2)
8271X	Wheels, TRX-4 1.9 (satin beadlock) (2)
8178	Wheels, TRX-4 Sport 1.9 (2)
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)
	Transmission Components
8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293	Gear set, transmission (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5))
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear

Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock

Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock

Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)

rings sold separately)

rings sold separately)

Traxxas Tools

Plate, motor/ upper spur gear cover

Transmission gears, single speed, metal
Two speed conversion kit

Slipper eliminator plate

driver handle

Scissors, curved tip
Scissors, straight tip
Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 phillips,
#0 phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM