



TRX-4 Ford Bronco (Model 82046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

| | |
|--------------|--|
| 8241 | Axle housing, front |
| 8242 | Axle housing, rear |
| 8227 | Axle mount set (complete) (front & rear) (for suspension links) |
| 8228 | Axle shaft, front (left)/ drive pin/ cross pin |
| 8229 | Axle shaft, front (right)/ drive pin/ cross pin |
| 8060 | Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) |
| 8062 | Axle shaft, front, heavy duty (left & right)/ portal drive input gear (machined) (2) (assembled) |
| 8230 | Axle shaft, rear (left) |
| 8231 | Axle shaft, rear (right) |
| 8061 | Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) |
| 8063 | Axle, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) |
| 8233 | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) |
| 8256 | Portal drive axle mount, rear (left & right) |
| 8256X | Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256A | Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256G | Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256R | Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4) |
| 8252 | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) |
| 8253 | Portal drive housing, inner, rear (left or right) (2) |
| 8251 | Portal drive housing, outer (front or rear) (2) |
| 8064 | Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft) |
| 8257 | Portal drive input gear, front/ drive pin/ cross pin |
| 8259 | Portal drive input gear, rear |
| 8065 | Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) |
| 8258 | Portal drive output gear, front or rear |
| 8252X | Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) |
| 8252A | Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2) |
| 8252G | Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2) |
| 8252R | Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2) |
| 8253X | Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) |
| 8253A | Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2) |
| 8253G | Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) |
| 8253R | Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) |
| 8251X | Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) |
| 8251A | Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) |
| 8251G | Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) |
| 8251R | Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) |
| 8255 | Stub axle (portal drive) (2) |
| 8255A | Stub axle, extended (portal drive) (2) |
| 8267 | Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) |

Bearings & Bushings

| | |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2) |
| 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2) |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2) |
| 5114A | Ball bearings, black rubber sealed (5x8x2.5mm) (2) |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2) |
| 5180A | Ball bearings, black rubber sealed (6x13x5mm) (2) |
| 5103A | Ball bearings, black rubber sealed (7x14x5mm) (2) |

Body (1979 Chevrolet Blazer)

| | |
|--------------|---|
| 8130 | Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/ window masks |
| 8130G | Body, Chevrolet Blazer (1979) (orange) (requires grille, side mirrors, door handles, windshield wipers, decals) |
| 8130A | Body, Chevrolet Blazer (1979) (red) (requires grille, side mirrors, door handles, windshield wipers, decals) |
| 8131 | Decal sheet, Chevrolet Blazer (1979) |
| 8132 | Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body) |
| 8134 | Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body) |
| 8133 | Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body) |
| 8135 | Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body) |

Body (1979 Ford Bronco)

| | |
|--------------|--|
| 8010 | Body, Ford Bronco (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2) |
| 8010X | Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders) |
| 8078R | Decal sheet, Bronco, red |
| 8078 | Decal sheet, Bronco, sunset |
| 8075 | Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body) |
| 8070 | Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body) |
| 8073 | Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 body) |
| 8073X | Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 body) |
| 8074 | Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware |
| 8077 | Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body) |
| 8071 | Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body) |

Body (Land Rover Defender)

| | |
|--------------|--|
| 8011 | Body, Land Rover® Defender® (clear, trimmed, requires painting)/ window masks/ decal sheet |
| 8011A | Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack) |
| 8011X | Body, Land Rover® Defender®, graphite silver (painted)/ decals |
| 8011G | Body, Land Rover® Defender®, green (complete with ExoCage, inner fenders, fuel canisters, and jack) |
| 8011R | Body, Land Rover® Defender®, red (painted)/ decals |
| 8012 | Decals, Land Rover® Defender® |
| 8016 | ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body) |
| 8019 | Fender brace, inner, front & rear |
| 8017 | Fender flares, front & rear (2 each) (fits #8011 or #8211 body) |
| 8018 | Fenders, inner, front & rear (2 each)/ rock light covers (8) |
| 8013 | Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) |
| 8020 | Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body) |
| 8015 | Roof basket (requires #8016 ExoCage) (fits #8011 body) |
| 8021 | Spare tire mount/ mounting bracket/ screw pins (2) |
| 8014 | Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 body) |

Body (Tactical Unit)

| | |
|--------------|---|
| 8211 | Body, Tactical Unit (clear, requires painting)/ decals |
| 8211X | Body, Tactical Unit, night camo (painted)/ decals |
| 8019 | Fender brace, inner, front & rear |
| 8017 | Fender flares, front & rear (2 each) (fits #8011 or #8211 body) |
| 8018 | Fenders, inner, front & rear (2 each)/ rock light covers (8) |
| 8020 | Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body) |
| 8021 | Spare tire mount/ mounting bracket/ screw pins (2) |

Body (TRX-4 Sport)

- 8112 Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
- 8111R Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet
- 8111 Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
- 8113 Decal sheet, TRX-4® Sport
- 8120X Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware)
- 8120 Expedition rack/ mounting hardware
- 8116 Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)
- 8119 Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
- 8122 Shovel/ axe/ accessory mount/ mounting hardware
- 8118 Spare tire mount/ mounting hardware
- 8117 Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)
- 8121 Traction boards/ mounting hardware

Body Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 1834A Body clips, black (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 3934A Body clips, heavy duty (black) (12)
- 8215 Body mounts & posts, front & rear (complete set)
- 8115 Body posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 2514 Decal sheet, racing sponsors
- 8081 Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)
- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)

Bumpers & Skidplates

- 8234 Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)
- 8234R Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
- 8067 Bumper mounts, front & rear
- 8237 Bumper mounts, front & rear/ screw pins (4)
- 8069 Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
- 8235 Bumper, front/ winch
- 8236 Bumper, rear
- 8068 Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
- 8066 Push bar, bumper (chrome) (fits #8069 bumper)
- 8238 Skidplate/ lower gear cover

Chassis & Attachments

- 8223 Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072 inner fenders)
- 8215 Body mounts & posts, front & rear (complete set)
- 8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
- 8058 Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
- 8057 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
- 8220 Chassis rails, 448mm (steel) (left & right)
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
- 8218 Floor pans, left & right
- 8219 Rock sliders, left & right
- 8225 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 8240 Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
- 8239 Servo mount, steering/ chassis crossmember
- 8226 Tray, battery

Differential Components

- 8281 Carrier, differential/ differential slider/ T-Lock fork
- 8280X Differential cover, front or rear (chrome-plated)
- 8280 Differential cover, front or rear (grey)
- 8280R Differential cover, front or rear (red)
- 8282 Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))

- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8279 Ring gear, differential/ pinion gear, differential
- 8279R Ring gear, differential/ pinion gear, differential (machined)
- 8287 Ring gear, differential/ pinion gear, differential (overdrive, machined)
- 8288 Ring gear, differential/ pinion gear, differential (underdrive, machined)
- 8297 Spool/ differential housing plug/ e-clip

Driveline Components

- 8250 Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
- 8255A Stub axle, extended (portal drive) (2)
- 8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
- 8269X Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
- 8269A Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)
- 8269G Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
- 8269R Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)

Hardware

- 1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
- 1834 Body clips (12) (standard size)
- 1834A Body clips, black (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 3934A Body clips, heavy duty (black) (12)
- 8167X Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
- 8298 Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
- 8151 Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
- 5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 2618 Screws, 2.5x16mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2617 Screws, 2.5x8mm button-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2524 Screws, 2.5x8mm countersunk machine (hex drive) (6)
- 8299 Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
- 8167 Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
- 2564 Screws, 2x8mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2581 Screws, 3x25mm button-head machine (hex drive) (6)
- 2616 Screws, 3x27mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3933 Screws, 4x16mm button-head machine (hex drive) (6)

LED Light Accessories

- 8031 3-in-1 wire harness, LED light kit, TRX-4®
- 8089 4-in-2 wire harness, LED light kit, TRX-4®
- 8028 LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-in-1 wire harness
- 8026 LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)

LED Lights (1979 Chevrolet Blazer)

- 8039 LED light set (contains headlights, tail lights, side marker lights, distribution block (fits #8130 body, requires #8028 power supply))
- 8038 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)

LED Lights (1979 Ford Bronco)

| | |
|------|---|
| 8036 | LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power supply) |
| 8035 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body) |
| 8037 | LED lights, high/low switch (for #8035 or #8036 LED light kits) |

LED Lights (Land Rover Defender)

| | |
|------|--|
| 8027 | LED headlight/tail light kit (fits #8011 body, requires #8028 power supply) |
| 8025 | LED light bar (Rigid®), TRX-4 (requires #8028 power supply) |
| 8029 | LED light bar kit (Rigid®)/power supply, TRX-4® |
| 8030 | LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body) |

LED Lights (TRX-4 Sport)

| | |
|------|---|
| 8086 | LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply) |
| 8084 | LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) |
| 8088 | LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply) |
| 8087 | LED light bar, roof lights (fits #8111 body, requires #8028 power supply) |
| 8085 | LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) |

Long Arm Lift Kit

| | |
|-------|--|
| 8162X | Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8162R | Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8162 | Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8148 | Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit) |
| 8147 | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) |
| 8150 | Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) |
| 8140 | Long Arm Lift Kit, TRX-4®, complete |
| 8140X | Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) |
| 8140R | Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) |
| 8149 | Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) |
| 8141 | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) |
| 8161 | Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) |
| 8160X | Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8160R | Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8160 | Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8155 | Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit) |
| 8156 | Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8157 | Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8146X | Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8146R | Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8144X | Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8144R | Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8144 | Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8143 | Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8143X | Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |

| | |
|-------|--|
| 8143R | Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8145 | Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8145X | Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8145R | Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8142 | Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8142X | Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8142R | Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8172 | Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) |
| 8181 | Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 2.2 tires) (2) |
| 8170 | Tires, Canyon Trail 2.2/ foam inserts (2) |
| 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) |
| 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) |

Motors & Electronics

| | |
|-------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2262 | BEC, complete (includes receiver box cover and seals) |
| 2064 | Gear set (for 2065 waterproof sub-micro servo) |
| 2064X | Gear set, metal (for 2065X waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 8290X | Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized) |
| 8290A | Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-anodized) |
| 8290G | Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized) |
| 8290R | Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized) |
| 3975R | Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1) |
| 8290 | Plate, motor/ upper spur gear cover |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2063 | Servo case/gaskets (for 2065 waterproof sub-micro servo) |
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 5669 | Servo horn (with built-in spring and hardware) (for Summit locking differential) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal servo horn recommended for optimal performance) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2065 | Servo, sub-micro, waterproof |
| 2065X | Servo, sub-micro, waterproof, metal gear |
| 3025 | XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) |
| 2261 | Y-harness, BEC |

Radio System, Batteries & Chargers

| | |
|-------|--|
| 2849X | 4000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2872X | 5000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 8222 | Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) |

| | |
|-------|---|
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2994 | Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1)) |
| 2995 | Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2991 | Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2)) |
| 2262 | BEC, complete (includes receiver box cover and seals) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 6512 | Cover plate, Traxxas Link™ Wireless Module |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2064 | Gear set (for 2065 waterproof sub-micro servo) |
| 2064X | Gear set, metal (for 2065X waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6561 | Mount, telemetry expander (fits TRX-4®) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2063 | Servo case/gaskets (for 2065 waterproof sub-micro servo) |
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal servo horn recommended for optimal performance) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2065 | Servo, sub-micro, waterproof |
| 2065X | Servo, sub-micro, waterproof, metal gear |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) |
| 6550 | Telemetry expander, TQi radio system |
| 6551X | Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link™ Wireless Module |
| 2261 | Y-harness, BEC |

Ready-To-Race Model

| | |
|---------|--|
| 82046-4 | TRX-4® Scale and Trail® Crawler with Ford Bronco Body: 4WD Electric Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System |
|---------|--|

Scale Details

| | |
|-------|--|
| 8022T | Fuel canisters (black) (2)/ 3x8 FCS (1) |
| 8022R | Fuel canisters (blue) (2)/ 3x8 FCS (1) |
| 8022 | Fuel canisters (red) (2)/ 3x8 FCS (1) |
| 8022X | Fuel canisters (white) (2)/ 3x8 FCS (1) |
| 8022A | Fuel canisters (yellow) (2)/ 3x8 FCS (1) |
| 8023T | Jack (black) (1)/ 2x8 BCS (1) |
| 8023 | Jack (red) (1)/ 2x8 BCS (1) |

Shocks (GTS)

| | |
|-------|---|
| 8266 | Body, GTS shock (aluminum, silver-anodized) (1) |
| 8266X | Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) |
| 8266A | Body, GTS shock, aluminum (blue-anodized) (1) |
| 8266G | Body, GTS shock, aluminum (green-anodized) (1) |
| 8266R | Body, GTS shock, aluminum (red-anodized) (1) |
| 8264 | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5475 | Multi-tool (plastic) |
| 8261 | Piston, damper (red) (4)/ e-clips (8) |
| 8262 | Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) |
| 8263 | Shock shaft, 3x47mm (GTS) (2) |
| 8263T | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) |
| 8260X | Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) |
| 8260A | Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) |
| 8260G | Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) |
| 8260R | Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) |
| 8260 | Shocks, GTS, silver aluminum (assembled with spring retainers) (2) |
| 1666 | Silicone shock oil (30 wt) |

Slipper Clutch Components

| | |
|------|---|
| 8292 | Input shaft/ output shaft (transmission) |
| 8286 | Output shafts (transfer case), front & rear |
| 8254 | Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) |
| 8249 | Slipper eliminator plate |

Springs

| | |
|------|--|
| 8042 | Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) |
| 8043 | Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) |
| 8044 | Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) |
| 8041 | Springs, shock (natural finish) (GTS) (0.45 rate) (2) |
| 8040 | Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) |
| 8045 | Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) |

Spur Gears & Pinion Gears

| | |
|-------|--|
| 6746 | Gear, 10-T pinion (32-p) (steel)/ set screw |
| 6747 | Gear, 11-T pinion (32-p) (steel) set screw |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel)/ set screw |
| 8279 | Ring gear, differential/ pinion gear, differential |
| 8052 | Spur gear, 39-tooth (TRX-4®) |
| 8053 | Spur gear, 45-tooth (TRX-4®) |

Steering Components

| | |
|-------|---|
| 8232 | Caster blocks (portal drive), left & right/ kingpin bushings (4) |
| 8232X | Caster blocks, 6061-T6 aluminum (blue-anodized), left and right |
| 8232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right |
| 8232G | Caster blocks, 6061-T6 aluminum (green-anodized), left and right |
| 8232R | Caster blocks, 6061-T6 aluminum (red-anodized), left and right |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 8247 | Servo horn, steering |
| 8247X | Servo horn, steering, metal/ 3x14 BCS (1) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8246 | Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Suspension Linkage

| | |
|------|---|
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Team Traxxas Items

| | |
|-------|--|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 8169T | Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168T | Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169X | Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168X | Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169G | Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168G | Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169A | Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168A | Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169R | Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168R | Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169 | Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168 | Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8176 | Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) |
| 8174 | Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) |
| 8172 | Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) |
| 8177 | Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8273 | Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) |
| 8272X | Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2) |

| | |
|-------|--|
| 8181 | Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit) |
| 8272 | Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2) |
| 8270 | Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) |
| 8170 | Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) |
| 8175 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8173 | Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately) |
| 8173A | Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately) |
| 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8268 | Wheels, Tactical 1.9 (2) |
| 8271 | Wheels, TRX-4® 1.9 (2) |
| 8271X | Wheels, TRX-4® 1.9 (satin beadlock) (2) |

Transmission Components

| | |
|-------|--|
| 8283 | Cable, T-lock (front) |
| 8284 | Cable, T-lock (rear) |
| 8289 | Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage |
| 8293X | Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5)) |
| 8291 | Gearbox housing (includes main housing, front housing, & cover) |
| 8285 | Gears, transfer case (3) |
| 5041 | Grease, premium high performance (20cc) |
| 8292 | Input shaft/ output shaft (transmission) |
| 8290X | Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized) |
| 8290A | Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-anodized) |
| 8290G | Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized) |
| 8290R | Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized) |
| 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) |
| 8294 | Output gear, high range, 24T (metal) |
| 8286 | Output shafts (transfer case), front & rear |
| 8290 | Plate, motor/ upper spur gear cover |
| 8249 | Slipper eliminator plate |
| 8296 | Transmission gears, single speed, metal |

Traxxas Tools

| | |
|-------|---|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM