



Drag Slash (Model 94076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 2728** Ball bearings (5x8x2.5mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 2545** Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926** Antenna caps, vinyl (2)/ antenna spool
- 1726A Antenna, tube, black (1) vinyl antenna cap (1)/ wire retainer (1)
- 9415 Body accessories, Chevrolet C10, black (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
- 9415X** Body accessories, Chevrolet C10, black chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
- 9415R** Body accessories, Chevrolet C10, chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
- 9415A** Body accessories, Chevrolet C10, satin black chrome (includes grille (upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A** Body clip (mounting clip), angled, 90-degrees (black) (10)
- 3934 Body clips, heavy duty (12)
- 3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815 Body washers (8)
- 6716** Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)
- 9411A Body, Chevrolet C10 (black) (includes wing & decals) (requires #9415 series body accessories to complete body)
- 9411X Body, Chevrolet C10 (blue) (includes wing & decals) (requires #9415 series body accessories to complete body)
- 9411** Body, Chevrolet C10 (clear, requires painting)/ window masks
- 9411G Body, Chevrolet C10 (green) (includes wing & decals) (requires #9415 series body accessories to complete body)
- 9411P Body, Chevrolet C10 (purple) (includes wing & decals) (requires #9415 series body accessories to complete body)
- 9411R Body, Chevrolet C10 (red) (includes wing & decals) (requires #9415 series body accessories to complete body)
- 9411T Body, Chevrolet C10 (white) (includes wing & decals) (requires #9415 series body accessories to complete body)
- 9413 Decal sheet, Chevrolet C10
- 9413X** Decal sheet, flames
- 2514** Decal sheet, racing sponsors
- 9413R** Decal sheet, scallops
- 9950** Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9414 Wing, Chevrolet C10/ support/ side plates (left & right)/ 3x10 BCS (4)

Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R** Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
- 9463** Axle, wheelie bar, charcoal gray (aluminum)
- 9419 Body bumper, foam
- 3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 9420 Bumper, chassis, front (upper & lower)
- 5836X Bumper, rear/ bumper brace, rear (black)/ wheelie bar mount
- 9466 Center support, wheelie bar (double spacer (2), single spacer (2))/ rear axle (plastic) (1)
- 5830 Chassis conversion kit, low CG (Slash)
- 5832** Chassis, low CG (black)
- 5832A** Chassis, low CG (blue)
- 5832G Chassis, low CG (gray)
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X** Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
- 5831 Lower chassis, low CG (black)
- 5831A** Lower chassis, low CG (blue)
- 5831G** Lower chassis, low CG (gray)
- 5823 Nerf bars, chassis (black)
- 5833** Nerf bars, low CG (black)
- 5833A** Nerf bars, low CG (blue)

- 5833G** Nerf bars, low CG (gray)
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9418 Shock tower, rear
- 9465 Side plates, wheelie bar (plastic) (2)
- 9462X** Side plates, wheelie bar, blue (aluminum) (2)
- 9462** Side plates, wheelie bar, charcoal gray (aluminum) (2)
- 9462G** Side plates, wheelie bar, green (aluminum) (2)
- 9462A** Side plates, wheelie bar, orange (aluminum) (2)
- 9462P** Side plates, wheelie bar, pink (aluminum) (2)
- 9462R** Side plates, wheelie bar, red (aluminum) (2)
- 9464** Wheelie bar mount (heavy duty)
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount
- 9460X** Wheelie bar, black chrome (assembled)/ wheelie bar mount
- 9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))

Differential Components

- 9480** Differential assembly (complete) (assembled with 500K oil) (fits Drag Slash)
- 9482 Differential gasket/ x-rings (2)
- 9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
- 6783 Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9450 Driveshaft assembly (1), left or right (fully assembled, ready to install) screw pin (1)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)

Front Suspension & Steering

- 2728 Ball bearings (5x8x2.5mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2530 Bulkhead (front) (black)
- 2530A** Bulkhead (front) (gray)
- 2432 Caster blocks (left & right) (30-degree)
- 2437 Front axles (2)
- 6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744** Servo saver w/adapters
- 3639 Shock tower (front)
- 3743A** Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
- 3743G** Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743T** Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743P** Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743X** Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/ servo horn, steering
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A** Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3636G** Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3636T** Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3636P** Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)

Page 2 Drag Slash: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 94076-4) Parts List

3636X	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
2531A	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
1633	E-clips/ C-rings
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Rev o® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3967	Shoulder screws 3x10 (6) (without threadlock)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

9496X	LED light set, front, complete (blue) (includes light harness, power harness, zip ties (9))
9496G	LED light set, front, complete (green) (includes light harness, power harness, zip ties (9))
9496R	LED light set, front, complete (red) (includes light harness, power harness, zip ties (9))

9496	LED light set, front, complete (white) (includes light harness, power harness, zip ties (9))
9497X	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (black chrome)/ zip ties (3)
9497	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (black)/ zip ties (3)
9497R	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (chrome)/ zip ties (3)
9497A	LED lights, tail lights (red)/ power harness/ tail light housings (left & right)/ tailgate trim (satin black chrome)/ zip ties (3)

Motors & Electronics

1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete)
3340	Cooling fan, Velineon® VXL-3s ESC
9491	Gear adapter set, fixed (48-pitch)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
3354R	Motor cover, endbell (Velineon® 3500)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
9490	Plate, motor, blue (3.2mm thick) (aluminum)
9490X	Plate, motor, blue (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490G	Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490A	Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490P	Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490R	Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
3352R	Rebuild kit, Velineon® 3500 and 540XL (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))

Page 3 Drag Slash: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 94076-4) Parts List

2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6529A	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) (drag v version)
6511	Traxxas Link™ Wireless Module
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

94076-4	Drag Slash: 1/10 Scale 2WD Drag Racing Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	--

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9450	Driv eshaft assembly (1), left or right (fully assembled, ready to install screw pin (1))
9418	Shock tower, rear
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2750A	Suspension arms, black, rear, heavy duty (2)
2750X	Suspension arms, blue, rear, heavy duty (2)
2750G	Suspension arms, green, rear, heavy duty (2)
2750T	Suspension arms, orange, rear, heavy duty (2)
2750L	Suspension arms, red, rear, heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

3765A	Body, Ultra Shock(s) (long) (gray) (2)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458	Springs, front (black) (2)
2458P	Springs, front (pink) (2)
5857P	Springs, front (pink) (progressive rate) (2)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2) (also used on Drag Slash rear shocks)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
2458A	Springs, front (white) (2)
5857	Springs, front (white) (progressive rate) (2)
6857	Springs, front (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)

Slipper Clutch Components

9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash 2WD)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

9491	Gear adapter set, fixed (48-pitch)
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch) / set screw
2429	Gear, 29-T pinion (48-pitch) / set screw
2431	Gear, 31-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Rev o® (large) with hollow balls (12)
3744	Servo saver w/adapters
3967	Shoulder screws 3x10 (6) (without threadlock)
3743	Steering bellcranks (l&r) / draglink
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4) hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935	Turnbuckles, 36mm (2)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Rev o® (large) with hollow balls (12)
3744	Servo saver w/adapters
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease

2754	Stub axle pins (4)
9469	Tire inserts, molded (2) (for #9471 rear tires)
9474X	Tires & wheels, assembled, glued (Weld black chrome wheels, tires, foam inserts) (front) (2)
9475X	Tires & wheels, assembled, glued (Weld black chrome wheels, tires, foam inserts) (rear) (2)
9474R	Tires & wheels, assembled, glued (Weld chrome wheels, tires, foam inserts) (front) (2)
9475R	Tires & wheels, assembled, glued (Weld chrome with black wheels, tires, foam inserts) (rear) (2)
9474	Tires & wheels, assembled, glued (Weld gloss black wheels, tires, foam inserts) (front) (2)
9475	Tires & wheels, assembled, glued (Weld gloss black wheels, tires, foam inserts) (rear) (2)
9474A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, tires, foam inserts) (front) (2)
9475A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, tires, foam inserts) (rear) (2)
9470	Tires, front (2)/ foam inserts (2)
9471	Tires, rear (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins (4)
3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/ axle pin (4)/ wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
9472X	Wheels, Weld black chrome (front) (2)
9473X	Wheels, Weld black chrome (rear) (2)
9472R	Wheels, Weld chrome (front) (2)
9473R	Wheels, Weld chrome with black (rear) (2)
9472	Wheels, Weld gloss black (front) (2)
9473	Wheels, Weld gloss black (rear) (2)
9472A	Wheels, Weld satin black chrome (front) (2)
9473A	Wheels, Weld satin black chrome (rear) (2)

Transmission Components

4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9489	Cover, gear
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
9480	Differential assembly (complete) (assembled with 500K oil) (fits Drag Slash)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783	Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))
9493	Gearbox halves, left & right/ differential cover (charcoal gray)
5148	Grease, white lithium
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash 2WD)
9483	Output gears, differential (2)
9490	Plate, motor, blue (3.2mm thick) (aluminum)
9490X	Plate, motor, blue (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490G	Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490A	Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490P	Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9490R	Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)
5522X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip

Page 5 Drag Slash: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 94076-4) Parts List

- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM