



Factory Five '33 Hot Rod Coupe (Model 93044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

- 9333 Body, Factory Five '33 Hot Rod Coupe (clear, requires painting)/ foam pads (front & rear)/ decal sheet (includes front grille, side mirrors, headlights, tail lights, mounting hardware)**
- 9333X Body, Factory Five '33 Hot Rod Coupe, complete (blue) (painted, decals applied) (includes front grille, side mirrors, headlights, tail lights, foam pads)
- 9333R Body, Factory Five '33 Hot Rod Coupe, complete (red) (painted, decals applied) (includes front grille, side mirrors, headlights, tail lights, foam pads)
- 9336 Grille, Factory Five '33 Hot Rod Coupe/ grille mount/ 2.6x8 BCS (5)
- 9334 Headlight housings (left & right)/ headlight lens (2)/ 2.6x8 BCS (2)/ 1.6x7 BCS (self-tapping) (2) (fits #9333 or 9335 body)
- 9339 Side mirrors (left & right)/ mounts (2)/ tail light lens (2)/ retainers (2)/ 1.6x7 BCS (self-tapping) (6) (fits #9333 or 9335 body)

Brake Components

- 8367 Brake calipers (red), front (2)/ rear (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Center Driveline

- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)

Chassis & Attachments

- 9324 Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post screw/ foam spacer (for 300mm wheelbase)
- 9325 Body post, rear/ body washers, foam (2)/ pivot (2)
- 8924 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 2.5x10 CS (2)/ 3x15 CCS (3)
- 9322 Chassis (for 300mm wheelbase)
- 8321 Chassis brace (front)
- 8323 Gear cover (rear chassis brace)/ wire retainer
- 9338 Shock towers, front & rear
- 9323 Skidplate, front/ servo mounts, steering (2)

Differential Components

- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 5136X Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)**
- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)
- 8379 Housing, spool / spool shaft/ bushing
- 6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

- 8353X Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)**
- 8353 Drive cups, inner (2)/ screw pins (2)
- 9356 Driveshaft, center, steel (278mm)/ pin/ support, center driveshaft/ 5x11x4 bearing
- 8350 Driveshaft, front (2)
- 8351 Driveshaft, rear (2)
- 8350X Driveshafts, steel constant-velocity (assembled), front (2)**
- 8351X Driveshafts, steel constant-velocity (assembled), rear (2)**
- 8382 O-rings (12)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Front Suspension & Steering

- 8330 Bulkhead, front
- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**

- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 8343 Steering bellcranks/ hardware
- 8337 Steering block (2)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 9330 Suspension arms, front (2)
- 8340 Suspension pin set, complete (front & rear)
- 8342 Toe links, steel (34mm) (2)**
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Hardware

- 1834A Body clips, black (12) (standard size)
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2593 Screws, 3x14mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

LED Lights

- 9385 LED light harness/ power harness/ zip ties (9)/ mounts (2) (fits #9333 or 9335 body)

Motors & Electronics

- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
- 2072A Gear set (for 2070, 2075 servos)
- 2272 Gear set (for 2270 waterproof servo)**
- 3785 Motor, Titan® 12T (12-Turn, 550 size)
- 8390 Plate, motor
- 2271 Servo case/ gaskets (for 2270 waterproof servo)**
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))**
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof**
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof**
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof**
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))**
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo iD® Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo iD® Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2272	Gear set (for 2270 waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)

6511	Traxxas Link™ Wireless Module
3018R	XL-5 Electronic Speed Control, waterproof (land v ersion, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

93044-4	Factory Five '33 Hot Rod Coupe: 1/10 Scale AWD Custom Car with TQ™ 2.4GHz radio system
---------	--

Rear Suspension

8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8340	Suspension pin set, complete (front & rear)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7028	Hollow balls (20)
7028X	Hollow balls, steel (machined)
7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)
6961	Shaft, GTR shock, steel (2)
6961T	Shaft, GTR shock, TIN-coated (2)
9360	Shocks, GTR composite, front or rear (assembled, without springs) (2)

Springs

9361	Springs, shock (red) (1.029 rate) (2)
------	---------------------------------------

Spur Gears & Pinion Gears

2728	Ball bearings (5x8x2.5mm) (2)
8323	Gear cover (rear chassis brace)/ wire retainer
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2424	Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth
8368	Spur gear, 72-tooth (48 pitch)

Steering Components

8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)

Suspension Linkage

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 9373 Tires and wheels, assembled, glued (black with chrome wheels, 2.1" Response tires) (extra wide, rear) (2)
- 9372 Tires and wheels, assembled, glued (black with chrome wheels, 2.1" Response tires) (front) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

- 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear)
- 8342 Toe links, steel (34mm) (2)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM