



# TRX-4M™ 1/18 1979 Chevrolet® K10 High Trail Edition™ (Model 97064-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| Axle Components   |  | Chassis & Attachments                         |  |
|---|--|---|--|
| 9787-BLUE   | <b>Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)</b>  | 9727  | Battery strap  |
| 9787-GRAY   | <b>Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)</b>   | 9836  | Bumper mount (front (1)/ rear (1))   |
| 9787-GRN  | <b>Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)</b>   | 9822  | Chassis rails, 220mm (steel) (left & right)  |
| 9787-ORNG   | <b>Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)</b>  | 9739-BLUE                                     | <b>Servo mount, 6061-T6 aluminum (blue-anodized)</b>   |
| 9787-RED  | <b>Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)</b>   | 9739-GRAY                                     | <b>Servo mount, 6061-T6 aluminum (dark titanium-anodized)</b>  |
| 9787  | <b>Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with threadlock) (8)</b>   | 9739-GRN                                      | <b>Servo mount, 6061-T6 aluminum (green-anodized)</b>  |
| 9738-BLKCR  | <b>Axle cover, front or rear (black chrome) (2)</b>  | 9739-ORNG                                     | <b>Servo mount, 6061-T6 aluminum (orange-anodized)</b>   |
| 9738  | Axle cover, front or rear (black) (2)  | 9739-RED                                      | <b>Servo mount, 6061-T6 aluminum (red-anodized)</b>  |
| 9738-BLUE   | <b>Axle cover, front or rear (blue) (2)</b>  | 9739  | Servo mount, steering/ servo horn  |
| 9738-GRAY   | <b>Axle cover, front or rear (gray) (2)</b>  | 9826  | Shock mounts (front & rear)/ trailer hitch (extended)  |
| 9738-RED  | <b>Axle cover, front or rear (red) (2)</b>   | 9766  | <b>Skidplate, chassis (stainless steel)</b>  |
| 9738-SATIN  | <b>Axle cover, front or rear (satin chrome) (2)</b>  | <b>Driveline Components</b>                   |  |
| 9741  | Axle housing, front & rear   | 9855  | Driveshafts, center, assembled (front & rear) (fits 1/18 scale vehicles with long wheelbase)   |
| 9729X   | <b>Axle shaft, front (hardened steel) (1)</b>  | 9752-BLUE                                     | <b>Driveshafts, center, female, 6061-T6 aluminum (blue-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>                                      |
| 9730X   | <b>Axle shaft, rear (hardened steel) (1)</b>   | 9752-GRAY                                     | <b>Driveshafts, center, female, 6061-T6 aluminum (dark titanium-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>                             |
| 9756  | <b>Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)</b>  | 9752-GRN                                      | <b>Driveshafts, center, female, 6061-T6 aluminum (green-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>                                     |
| 9729  | Axle shafts, front, outer (2)  | 9752-ORNG                                     | <b>Driveshafts, center, female, 6061-T6 aluminum (orange-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>                                    |
| 9730  | Axle shafts, rear, outer (2)   | 9752-RED                                      | <b>Driveshafts, center, female, 6061-T6 aluminum (red-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>                                       |
| 9743  | Axle, front (assembled)/ M2.5x0.45 NL (2)  | 9751-BLUE                                     | <b>Driveshafts, center, male (steel) (4)/ driveshafts, center, female, 6061-T6 aluminum (blue-anodized) (front &amp; rear)/ 1.6x7mm BCS (with threadlock) (4)</b>          |
| 9744  | Axle, rear (assembled)/ M2.5x0.45 NL (2)   | 9751-GRAY                                     | <b>Driveshafts, center, male (steel) (4)/ driveshafts, center, female, 6061-T6 aluminum (dark titanium-anodized) (front &amp; rear)/ 1.6x7mm BCS (with threadlock) (4)</b> |
| 9779  | <b>Gears, axle (metal, front &amp; rear)</b>   | <b>Hardware</b>                               |  |
| 9754  | <b>Rebuild kit, constant-velocity driveshaft (includes pins for 2 driveshaft assemblies) (for front driveshafts or #9751 metal center driveshafts)</b>   | 9746  | Hardware kit, complete (contains all hardware used on 1/18-scale TRX-4M™) (includes clear plastic storage container)   |
| 9777  | Ring gear, axle (2)/ pinion gear, axle (2)   | 9746X   | Hardware kit, stainless steel, complete (contains all stainless steel hardware used on 1/18-scale TRX-4M™) (includes body hardware and clear plastic storage container)    |
| 9765  | <b>Skidplate, axle, front or rear (stainless steel) (2)</b>  | <b>LED Lights</b>                             |  |
| 9753  | Stub axle, front (2)/ cross pins (2)/ drive pins (4)   | 9883  | <b>Pro Scale® LED light set, front &amp; rear, complete (includes light harness, zip ties (6)) (fits #9811 body)</b>   |
| 9753X   | <b>Stub axle, front (hardened steel) (1)</b>   | 9786  | Wire harness, LED lights (front)/ zip ties (2)   |
| <b>Bearings &amp; Bushings</b>                            |  | <b>Motors &amp; Electronics</b>               |  |
| 9745X   | <b>Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))</b>  | 9785  | ECM-2.5 Electronic Control Module, waterproof (low voltage detection, fwd/rev/brake)   |
| 9745R   | <b>Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings (6))</b>   | 2064R   | <b>Gear set, metal (for 2065R waterproof sub-micro servo)</b>  |
| 9745  | Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))   | 9793-BLUE                                     | <b>Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)</b>   |
| <b>Body &amp; Accessories (1979 Chevrolet® K10 Truck)</b> |  | 9793-GRAY                                     | <b>Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium-anodized)</b>  |
| 9811  | <b>Body, Chevrolet K10 Truck (1979), complete (unassembled) (white, requires painting) (includes grille, side mirrors, door handles, roll bar, windshield wipers, &amp; clipless mounting) (requires #9835 front &amp; rear bumpers)</b> | 9793-GRN                                      | <b>Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)</b>  |
| 9811-BLK  | Body, Chevrolet K10 Truck (1979), complete, black (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)  | 9793-ORNG                                     | <b>Heat sink, Titan® 87T motor (6061-T6 aluminum, orange-anodized)</b>   |
| 9811-BLUE   | Body, Chevrolet K10 Truck (1979), complete, blue (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)   | 9793-RED                                      | <b>Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)</b>  |
| 9811-RED  | Body, Chevrolet K10 Truck (1979), complete, red (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)  | 9775  | Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)   |
| 9827  | Decal sheet, 1/18 scale TRX-4M™ Chevrolet K10 Truck (1979)   | 2063A   | Servo case/gaskets (for 2065A waterproof sub-micro servo)  |
| 9817  | Door handles (left & right)/ mirrors, side (left & right)/ windshield wipers (fits #9811 body)   | 9740  | <b>Servo horn (metal)</b>  |
| 9820  | Front grille/ tailgate panel/ LED lenses (rear, left, & right) (fits #9811 body)   | 2065T   | Servo, sub-micro, waterproof   |
| 9813  | Latch, body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9811 body)   | 2065R   | <b>Servo, sub-micro, waterproof, metal gear</b>  |
| 9818  | LED lenses, body, front & rear (complete set) (fits #9811 body)  | <b>Radio System, Batteries &amp; Chargers</b> |  |
| 9814  | Windows, body (fits #9811 body)  | 2821  | 750mAh 7.4V 2-Cell 20C LiPo Battery  |
| 9814X   | <b>Windows, body (tinted) (fits #9811 body)</b>  | 2914  | <b>AA 4PK</b>  |
| <b>Bumpers &amp; Skidplates</b>                           |  | 9767  | Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only)   |
| 9836  | Bumper mount (front (1)/ rear (1))   | 2064A   | Gear set (for 2065A waterproof sub-micro servo)  |
| 9835  | Bumper, front (1)/ rear (1)  | 2064R   | <b>Gear set, metal (for 2065R waterproof sub-micro servo)</b>  |
| 9765  | <b>Skidplate, axle, front or rear (stainless steel) (2)</b>  | 2063A   | Servo case/gaskets (for 2065A waterproof sub-micro servo)  |
| 9766  | <b>Skidplate, chassis (stainless steel)</b>  | 9740  | <b>Servo horn (metal)</b>  |
|   |  | 2065T   | Servo, sub-micro, waterproof   |
|   |  | 2065R   | <b>Servo, sub-micro, waterproof, metal gear</b>  |

**Ready-To-Race Model**

97064-1 TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System

**Scale Accessories**

- 9796 Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)
- 9797 Trailer wheels (2)/ tires (2)/ mounting hardware
- 9795 Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

**Shocks**

- 9763-BLUE Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2)
- 9763-GRAY Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2)
- 9763-GRN Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2)
- 9763-ORNG Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2)
- 9763-RED Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
- 9761A Lower retainer, shock, brass (1 gram each) (4)
- 9762 Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps) (renews 2 shocks)
- 9762A Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer (4)
- 9764 Shocks, GTM (assembled w/o springs) (2)
- 9764-BLUE Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4)
- 9764-GRAY Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized) (fully assembled w/o springs) (4)
- 9764-GRN Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
- 9764-ORNG Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled w/o springs) (4)
- 9764-RED Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled w/o springs) (4)
- 9757 Spring, shock (GTM) (0.072 rate) (1 pair)
- 9758 Spring, shock (GTM) (0.095 rate) (1 pair)
- 9759 Spring, shock (GTM) (0.123 rate) (1 pair)
- 9760 Spring, shock (GTM) (0.155 rate) (1 pair)

**Springs**

- 9757 Spring, shock (GTM) (0.072 rate) (1 pair)
- 9758 Spring, shock (GTM) (0.095 rate) (1 pair)
- 9759 Spring, shock (GTM) (0.123 rate) (1 pair)
- 9760 Spring, shock (GTM) (0.155 rate) (1 pair)

**Steering Components**

- 9733-BLUE Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
- 9733-GRAY Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)
- 9733-GRN Caster blocks, 6061-T6 aluminum (green-anodized) (left & right)
- 9733-ORNG Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right)
- 9733-RED Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
- 9733 Caster blocks, brass (4 grams each) (left & right)
- 9737-BLUE Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
- 9737-GRAY Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
- 9737-GRN Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
- 9737-ORNG Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
- 9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)

- 9737 Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
- 9732 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
- 9748-BLUE Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
- 9748-GRAY Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
- 9748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
- 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
- 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
- 9842 Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)

**Suspension Linkage**

- 7028 Hollow balls (20)
- 7028X Hollow balls, steel (machined) (22)
- 7059 Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
- 9842 Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)

**Team Traxxas Items**

- 9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
- 2514 Decal sheet, racing sponsors
- 9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 9774 Tires & wheels, assembled (black 1.0" wheels, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)
- 9773 Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)
- 9873 Tires & wheels, assembled (chrome 1.0" wheels, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" tires) (2)
- 9771 Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)
- 9769 Tires, Canyon Trail 2.2x1.0" (2)
- 9782 Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)
- 9871 Tires, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" (2)
- 9750 Wheel hubs, 7mm hex (4)/ axle pins (8)
- 9750A Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)
- 9750X Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)
- 9780 Wheel weights, brass (31 grams each) (2) (requires #9781 series wheels)
- 9768-BLKCR Wheels, 1.0" (black chrome) (2)
- 9770-BLKCR Wheels, 1.0" (black chrome) (2)
- 9770 Wheels, 1.0" (black) (2)
- 9768 Wheels, 1.0" (black) (2)
- 9870 Wheels, 1.0" (chrome) (2)
- 9768-SATIN Wheels, 1.0" (satin chrome) (2)
- 9770-SATIN Wheels, 1.0" (satin chrome) (2)
- 9781 Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)
- 9781-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2)
- 9781-SATIN Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)

**Transmission Components**

- 9745R Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings (6))
- 9776 Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/ pinion gear, 11-tooth
- 9776R Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth
- 9776X Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear, 11-tooth
- 9747 Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm pins (2)
- 9747X Output shaft, transmission
- 9791 Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)

**Page 3 TRX-4M™ 1/18 1979 Chevrolet® K10 High Trail Edition™ (Model 97064-1) Parts List**

- 9791R Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
- 9791X Transmission, complete (speed gearing) (9.7:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)

**Traxxas Tools**

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**